

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: Wilson	Fraction 14 NE 14 NE 14 NE 14	Section Number Township No. Range Number T 30 S R / E W			
Street/Rural Address of Well Location; if from nearest town or intersection: If at o	f unknown, distance & direction	Global Positioning System (GPS) information: Latitude: 37.41.38.7.798			
RR#, Street Address, Box #: 1000 No	ducts North America, Inc. orth Sterling Avenue creek, MO 64054	Datum:       ✓ WGS 84, ☐ NAD 83, ☐ NAD 27         Collection Method:       ☐ GPS unit (Make/Model:)         ☐ Digital Map/Photo, ☐ Topographic Map, ✓ Land Survey         Est. Accuracy:       ✓ < 3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL WITH AN "X" IN SECTION BOX:  N  Depth(s) Groundwater Encountered (1)					
Water well disinfected?					
GRAVEL PACK INTERVALS:	Gauze wrapped Torch cut Wire wrapped Saw cut From ft. to N/A From ft. to N/A From N/A ft. to N/A From N/A ft. to N/A	□ Drilled holes □ None (open hole) □ Other (specify)			
6 GROUT MATERIAL: Neat cemes Grout Intervals: From .2	ent Cement grout Benton  ft., From N/A  mination:  les Pit privy Livestock p  Sewage lagoon Fuel storage  oit Feedyard Fertilizer st  Distance	other Concrete 0 to 2-feet  ft. to N/A ft., From N/A ft. to N/A ft.  ens			
FROM TO LITHOLOGO  0 ,5 TOPSOIL  15 H Clay  1 14 15,5 Clay  15,5 19,5 Silty Clay	FROM FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS			
19.5 20 Clay (mave)	1/Sand				
under my jurisdiction and was completed of Kansas Water Well Contractor's License Nunder the business name ofRAZEK Env	on (mo/day/year) . 10 123 144 and to . 759 This Water Well Revironmental, LLC	reconstructed, reconstructed, or plugged dethis record is true to the best of my knowledge and belief. ecord was completed on (ho/day/year) 11/29/2014.  by (signature)			
Kansas Department of Health and Environ	ment, Bureau of Water, Geology Section, 10	200 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  records. Include fee of \$5.00 for each constructed well. Visit us at			

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Wilson	1/4 SE 1/4 NE 1/4 NE 1/4	30 T 30 S R 16 ME DW
Street/Rural Address of Well Location;		Global Positioning System (GPS) information:  Latitude: 3.7409.2652 (in decimal degrees)
from nearest town or intersection: If at o	owner's address, check here [].	Longitude: 9.5
		Elevation: 7.29.7.1
		Datum: WGS 84, NAD 83, NAD 27
	ducts North America, Inc.	Collection Method:
C' C' ZID C 1	orth Sterling Avenue	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey
Sugar C	reek, MO 64054	Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m
3 LOCATE WELL	COMPLETED WELL 28.0	<b>V</b> )
WITH AN "X" IN SECTION BOX:  4 DEPTH OF ( Depth(s) Ground	hyster Encountered (1)	ft. (2).N/A ft. (3).N/A ft.
N WELL'S STAT	C WATER LEVEL 10 . S.C. ft	below land surface measured on mo/day/yr.19129.114
		ft. after. N/A hours pumping. N/A gpm
NE X EST. YIELD. Ñ	Agpm. Well water was N/A	ft. after N/A hours pumping N/A gpm
W  =  E  Bore Hole Diam		t., and .N/Ain. to .N/Aft.
	TO BE USED AS: Public water	er supply Geothermal Injection well
SWSE Domestic Irrigation	☐ Industrial ☐ Domestic-law	r supply
	bacteriological sample submitted to	Department?  Ves No
s If yes, mo/	day/yr sample was submitted N/A	
	fected? Tyes 🔽 No	
5 TYPE OF CASING USED: Stee	PVC Dther	
CASING JOINTS: Glued Clar	nped Welded M Threaded	o N/A ft., Diameter N/A in to N/A ft. Ibs./ft., Wall thickness or gauge No. Schedule 40
Casing diameter .4	ft., Diameter $N/A$ in t	tt., Diameter
TYPE OF SCREEN OR PERFORATION	MATERIAL	ibs./ii., wan unckness or gauge No
Steel Stainless Steel	<b>∠</b> PVC □	Other (Specify)
	None used (open hole)	
SCREEN OR PERFORATION OPENING Continuous slot Mill slot	proving .	Drilled holes None (open hole)
Louvered shutter Key punched	Wire wrapped Saw cut	Other (specify)
SCREEN-PERFORATED INTERVALS:	From ft. to	Other (specify)
CDANEL DACK DITEDUAL O	From NA ft. to NA	ft., From N/A ft. to N/A ft. ft., From N/A ft. to N/A ft.
GRAVEL PACK INTERVALS:	From N/A ft to N/A	ft, From N/A ft to N/A ft.
6 GROUT MATERIAL: Neat ceme	ent Cement grout Dentor	ite Other Concrete 0 to 2-feet ft. to N/A ft., From N/A ft. to N/A ft.
		ft. to . N/A ft., From . N/A ft. to . N/A ft.
What is the nearest source of possible cont		
Septic tank Lateral lin Sewer lines Cesspool	nes Pit privy Livestock p Sewage lagoon Fuel storage	
Watertight sewer lines Seepage		
Direction from well		from well
FROM TO LITHOLOG	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 15 100 5011		
1.5 10 Silty Val		
10 23,5 Clar		
23.5 24.5 Silty Clay		
24.5 25.5 Sond, grovel		
25,527,5 Shake		
28 Silty shale		
7 CONTRACTOR'S OR LANDOWNED	R'S CERTIFICATION: This water	er well was 🗸 constructed, 🗌 reconstructed, or 📗 plugged
under my jurisdiction and was completed of	on (mo/day/year) .16171114 ar	d this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License N	Io759 This Water Well R	ecord was completed on (plo/day/year) 1/1/29/2014
under the business name of RAZEK Env	vironmental, LLC	by (signature) . Market
INSTRUCTIONS: Use typewriter or ball point pe Kansas Department of Health and Environ	n. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clament, Bureau of Water, Geology Section, 10	early. Please fill in blanks and check the correct answers. Send one copy to 000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.
		records. Include fee of \$5.00 for each constructed well. Visit us at

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number			
County: Wilson	14 SW 4NE 14 NE 14	30 T 30 S R 16 DE	$\square W$		
Street/Rural Address of Well Location;		Global Positioning System (GPS) information:			
from nearest town or intersection: If at	owner's address, check here	Global Positioning System (GPS) information: Latitude:			
		Elevation: 793.439	1668)		
4 WATER WELL OWNER		_ <u>Datum</u> : <b>☑</b> WGS 84, <b>□</b> NAD 83, <b>□</b> NAD 27			
	ducts North America, Inc.	Collection Method:  GPS unit (Make/Model:	,		
G'r Grid ZID G 1	orth Sterling Avenue Creek, MO 64054	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Sur			
Sugar		Est. Accuracy:			
3 LOCATE WELL	COMPLETED WELL 24.	50			
WITH AN "X" IN SECTION BOX: 4 DEPTH OF O	dwater Encountered (1) 10	ft. (2).N/A ft. (3).N/A	ft		
N WELL'S STAT	IC WATER LEVEL 19.17. ft.	below land surface measured on mo/day/yr. 10/29[]	4		
Pump	test data: Well water was N/A	ft. after N/A hours pumping N/A hours	gpm		
EST. YIELD. N	/Agpm. Well water was N/A	ft. after N/A hours pumping N/A	дрт		
W E Bore Hole Diam	reter 9.49 in. to fi	ft., and N/Ain. to N/Aft. er supply ☐ Geothermal ☐ Injection well			
Domostia	T Feedlot	er supply	ow)		
SWSE Domestic	☐ Industrial ☐ Domestic-law	wn & garden Monitoring well MW-1116			
Was a chemical	/bacteriological sample submitted to	Department? 🔲 Yes 🗹 No	1		
	/day/yr sample was submitted.N/A				
water well dish	nfected?  Yes  No				
5 TYPE OF CASING USED: Stee		1			
CASING JOINTS: Glued Clar	nped Welded Mainten	to N/A ft., Diameter N/A in to N/A	ft		
Casing height above land surface	in. Weight N/A	lbs./ft., Wall thickness or gauge No. Schedule 40	)		
TYPE OF SCREEN OR PERFORATION	MATERIAL:				
Steel Stainless Steel	Z PVC	Other (Specify)			
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING	None used (open hole)				
Continuous slot  Mill slot	Gauze wrapped Torch cut	Drilled holes None (open hole)			
Louvered shutter Key punched	☐ Wire wrapped ☐ Saw cut	Other (specify)	_		
SCREEN-PERFORATED INTERVALS:	From S ft. to M.A.	ft., From N/A ft. to N/A	ft.		
GRAVEL PACK INTERVALS:	From 4.5 ft to 24.	5 ft From N/A ft to N/A	ft.		
GRIVED THERE INTERVIEWS.	From N/A ft. to N/A	ft., From N/A ft. to N/A  ft., From N/A ft. to N/A  ft., From N/A ft. to N/A	ft.		
6 GROUT MATERIAL: Neat ceme	ent Cement grout 🛮 Bentor	nite Other Concrete 0 to 2-feet ft. to N/A ft., From N/A ft. to N/A			
Grout Intervals: From .2 ft. to	5.71.5. ft., From N/A	ft. to .N/A ft., From .N/A ft. to .N/A	ft.		
What is the nearest source of possible conta	ammation: nes	pens Insecticide storage Other (specify below)			
Sewer lines Cesspool					
Watertight sewer lines Seepage 1					
Direction from well		from well	7 A T C		
FROM TO LITHOLOGO	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERV	ALS		
0,56,5 (10,4					
6.5 10 5: 144 Clay					
10 is clay					
15 23 Silvy clay	N .				
23 24.5 gravelly sour			<del></del>		
		er well was 🛭 constructed, 🗌 reconstructed, or 🗌 plug			
under my jurisdiction and was completed of	on (mo/day/year)\( \lambda \) ar	nd this record is true to the best of my/knowledge and be	lief.		
Kansas Water Well Contractor's License Nunder the business name of RAZEK Env		decord was completed on (mo/day/year) .11/29/2014			
INSTRUCTIONS: Use typewriter or ball point per	n. PLEASE PRESS FIRMLY and PRINT el	learly. Please fill in blanks and check the correct answers. Send one c	opy to		
Kansas Department of Health and Environ	ment, Bureau of Water, Geology Section, 10	000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			

WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No			
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number		
County: Wilson	14 SW 4NE 14 NE 14	30	T 30 s	R 16 DE DW		
Street/Rural Address of Well Location; from nearest town or intersection: If at		Global Positioning	(System (GPS) int 4092 8060	formation: (in decimal degrees) (in decimal degrees)		
from hearest town of intersection. If at	owner's address, theek here	Longitude: 95.	69265980	(in decimal degrees)		
N.		Elevation:	94.05			
2 WATER WELL OWNER: BP Pro	ducts North America, Inc.	🚽 <u>Datum</u> : 🖊 WGS 84	4, 🔲 NAD 83, 🔲	NAD 27		
B1 1 10	orth Sterling Avenue	Collection Method:	ce/Model:	)		
G'. G. , TID G 1	Creek, MO 64054	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey				
Est. Accuracy:						
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 26.50 ft.						
SECTION BOX: Depth(s) Groun	dwater Encountered $(1)$ .O	ft. (2).N/A.	ft. (3	3). N/A ft.		
N WELL'S STAT	IC WATER LEVEL 10.1.3.8ft	below land surface i	neasured on mo/da	ny/yr.191.291.14		
! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	b test data: Well water was N/Agpm. Well water was N/A	ft after N/A	hours pump	oing. N/A gpm		
WNWNEX- EST. YIELD.N E Bore Hole Dian	neter 8.25 in. to	t and N/A in	to N/A	ft.		
WELL WATER	R TO BE USED AS:   Public wat	er supply	othermal 🔲 In	njection well		
	☐ Feedlot ☐ Oil field wat	er supply $\square$ De	ewatering \	Other (Specify below)		
Irrigation	☐ Industrial ☐ Domestic-lay/bacteriological sample submitted to	vn & garden V Mo	onitoring well .!!!!	(Y. J. J. T		
	/day/yr sample was submitted.N/A.		ies 🔃 No			
	nfected?  Yes  No					
5 TYPE OF CASING USED: Stee	PVC Dother					
CASING IOINTS:   Glued   Classification Classificat	mped 🔲 Welded 💆 Threade	1	N1/A	N1/A		
Casing diameter .2 in. to	5 ft., Diameter N/A in.	to .N/A ft., D	iameter .N/A	in. to .IVA ft.		
Casing height above land surface? TYPE OF SCREEN OR PERFORATION		lbs./ft., Wall this	ckness or gauge No	oociiedule 40		
Steel Stainless Steel	Z PVC	Other (Specify)				
Brass Galvanized Steel	☐ None used (open hole)	. ,				
SCREEN OR PERFORATION OPENING	GS ARE:  Gauze wrapped Torch cut	Drilled holes	☐ None (open hole	<i>,</i> )		
Continuous slot Mill slot Louvered shutter Key punched	☐ Wire wrapped ☐ Saw cut	Other (specify)	· · · · · · · · · · · · · · · · · · ·			
SCREEN-PERFORATED INTERVALS:	From 6'5 ft to 26	ft From	N/A ft. 1	to!N/A ft.		
CD AVIEL DA CH DIFFERMALI	From N/A ft to N/A From 415 ft to 26.	ft., From	N/A ft. 1	to!\!/A ft.		
GRAVEL PACK INTERVALS:	From N/A ft. to N/A		N/A ft :	to N/A ff		
6 GROUT MATERIAL: Neat cem	ent Cement grout <b>Z</b> Bento	nite Other Co	ncrete 0 to 2-feet			
6 GROUT MATERIAL: Neat cem Grout Intervals: From .2 ft. t	o. H.S ft., From NA	ft. to ft.,	From N/A	. ft. to . N/A		
What is the nearest source of possible cont	tamination:					
Septic tank Lateral li Sewer lines Cesspool	nes Pit privy Livestock  Sewage lagoon Fuel storage			er (specify below)		
☐ Watertight sewer lines ☐ Seepage	pit Feedyard Fertilizer s	torage 🔲 Oil well/g	as well			
Direction from well		from well		ICCINIC INVESTIGATION		
FROM TO LITHOLOG	GIC LOG FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS		
0 0,5 Tapsoll						
18.5 18 18114 Clay						
18 20 Sandy Clay 20 25 Claye grave						
20 25 Claxe grave						
25 265 souldy gravel				kommunika Al-AMANA ANTAN A		
				<u> </u>		
			And the state of t			
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION: This was	er well was 🛭 const	ructed, reconstr	ucted, or plugged		
under my jurisdiction and was completed ( Kansas Water Well Contractor's License l	on (mo/day/year) IOI AS [.!.] a	nd this record is true	to the best of my k	mowledge and belief. 11/29/2014		
under the business name ofRAZEK.En	vironmental. LLC	by (signature)	d out amorday, year			
INSTRUCTIONS: Use typewriter or ball point pe	en. PLEASE PRESS FIRMLY and PRINT c	learly. Please fill in blank	s and check the correct	answers. Send one copy to		
Kansas Department of Health and Environment Telephone 785-296-5524. Send one copy to WAT	nment, Bureau of Water, Geology Section, I TER WELL OWNER and retain one for you	000 SW Jackson St., Sur records. Include fee of	te 420, Topeka, Kansa \$5.00 for each construc	s 66612-1367. eted well. Visit us at		

WATER WELL RECORD	Form WV	VC-5	Division of Water	r Resources App. No	0.
1 LOCATION OF WATER WELL: County: Wilson	Fraction 1/4 SW 1/4 N E		Section Number	Township No.	Range Number R / \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Street/Rural Address of Well Location;	f unknown, distance &	direction	Global Positioning	System (CPS) in	formation:
from nearest town or intersection: If at o			Latitude:3.7.	4332 708	(in decimal degrees) (in decimal degrees)
			Longitude:95	.67202700	(in decimal degrees)
			Elevation:82 Datum: <b>W</b> WGS 84	.a g Q. 📯	
2 WATER WELL OWNER: BP Prod	ducts North America,	Inc.	Collection Method:	f, [] NAD 65, []	NAD 27
are are ample t	orth Sterling Avenue				)
City, State, ZIP Code : Sugar Creek, MO 64054 ☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Surve Est. Accuracy: ☑ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					c Map, ✓ Land Survey 5-15 m.
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 27,50 ft.					
WITH AN "X" IN 4 DEPTH OF C	COMPLETED WELL	(1) S	ft.	Φ	2) N/A
SECTION BOX: Depth(s) Ground N WELL'S STATE	lwater Encountered IC WATER LEVEL.S	(1)	II.          (2).IVM. below land surface r	II. ( neasured on mo/d	3).!!!!!
Pump	test data: Well water	was N/A	ft. after N/A	hours pum	ping. N/A gpm
EST. YIELD. Ñ	Agpm. Well water	was N/A	ft. afterN/A	hours pum	ping. N/A gpm
W         E   Bore Hole Diam	eter 8.25 in. to	ft	., and .N/Ain.	to N/A	ft.
WELL WATER	TO BE USED AS:  Feedlot  C	Public wate	r supply $\square$ Ge	othermal 1	njection well Other (Specify below)
SWSE ☐ Domestic ☐ Irrigation	☐ Industrial ☐ I	Domestic-law	n & garden 💆 Mo	onitoring well M	W-148
Was a chemical/	bacteriological sample	submitted to	Department?		
	day/yr sample was subi				
	fected? Yes 7				
5 TYPE OF CASING USED: Steel				••••	
CASING JOINTS: Glued Clar Casing diameter .2 in. to	iped   Welded   Welde	/A Intended	o N/A ft D	ismeter N/A	in to N/A ft
Casing diameter 4	Committee Weight	N/A	lbs./ft Wall thic	kness or gauge N	o. Schedule 40
TYPE OF SCREEN OR PERFORATION					
Steel Stainless Steel	Z PVC		Other (Specify)		,.,
Brass Galvanized Steel SCREEN OR PERFORATION OPENING		ole)			
Continuous slot  Mill slot	Gauze wrapped	Torch cut	Drilled holes	☐ None (open hol	e)
Louvered shutter Key punched	☐ Wire wrapped ☐	] Saw cut	Other (specify)		
SCREEN-PERFORATED INTERVALS:	From N/A f	t. to	2 ft., From	N/A1t. N/A fr	to/A ft.
GRAVEL PACK INTERVALS:	From 4 f	t. to 27.5	ft. From	N/A ft.	to N/A ft.
GRAVEL PACK INTERVALS:	From N/A f	t. toN/A	ft., From	N/A ft.	toN/A ft.
6 GROUT MATERIAL: Neat ceme Grout Intervals: From .2 ft. to	ent	Benton	ite Other Cor	ncrete 0 to 2-fee	δ Ν/Λ α
What is the nearest source of possible contained.	mination:	.13//-5 1	t. to .!!// It.,	From .!\//\	It. to .!\\/\
		Livestock p	ens Insecticide	storage	ner (specify below)
Sewer lines Cesspool		Z Fuel storage			
☐ Watertight sewer lines ☐ Seepage p		Fertilizer sto	orage 🔲 Oil well/ga from well :		
FROM TO LITHOLOG		FROM			JGGING INTERVALS
O 0.5 TOPSOIL FILL					The state of the s
3 (19)					
3 5.5 Silt x Clay					
5,5 25 Clay					
25 26.5 SILT 26.5 27.5 Shale				***************************************	
2013 213 31416					
7 COMED A CEOD SCOD LANDOWNEL	ne CEDTIEIO (TIO)	NT. /Th.'4.			anatad au [] alumad
7 CONTRACTOR'S OR LANDOWNED under my jurisdiction and was completed or	m (mo/day/year) 1013	3 / 14 an	a wen was <b>v</b> a constr d this record is true:	ucteu, [_] reconsti to the <b>A</b> est of my l	knowledge and belief
Kansas Water Well Contractor's License N	10. 759 This V	Vater Well Ro	ecord was completed	hon (mo/day/year	/11/29/2014
under the business name of RAZEK Env	rironmental, LLC		. by (signature) $\mathcal{L}$	me / tare	ll
INSTRUCTIONS: Use typewriter or ball point per Kansas Department of Health and Environ					
Telephone 785-296-5524. Send one copy to WAT					

WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources App. No	0.		
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number		
County: Wilson Street/Rural Address of Well Location;	14 SW 1NW 14 SW		T 30 S	R /6 VE W		
from nearest town or intersection: If at o		Latitude:5.7.	, 4319.3417	formation: (in decimal degrees)		
		Longitude: 4.S.	,6854672	3 (in decimal degrees)		
		Elevation: 3.	.A. 84 34, □ NAD 83, □			
2 WATER WELL OWNER: BP Prod	ducts North America, Inc.	Collection Method:	4, 🔲 NAD 83, 🔲	NAD 27		
C' C C C TID C 1	orth Sterling Avenue	GPS unit (Ma	ke/Model:	)		
City, State, ZIP Code : Sugar C	Creek, MO 64054	Est. Accuracy: \(\overline{\mathbf{Z}}\)	hoto, 🔲 Topographic <3 m, 🔲 3-5 m, 🔲	c Map, ✓ Land Survey  5-15 m. □ >15 m		
3 LOCATE WELL						
WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL 30 10 ft.  Depth(s) Groundwater Encountered (1) 25 ft. (2) N/A ft. (3) N/A ft.						
N WELL'S STAT	IC WATER LEVEL 35:68	ft. below land surface	measured on mo/d:	av/vr 10129114		
Pump	test data: Well water was. N/	Aft. afterN/A	hours pump	ping.N/Agpm		
EST. YIELD. N	/Agpm. Well water was. N/A	ft. after. N/A	hours pum	ping N/A gpm		
	eter 8.25 in. to			ft. njection well		
	Feedlot Oil field v					
	☐ Industrial ☐ Domestic-	·lawn & garden 🗹 M	onitoring well .M	W-143		
Was a chemical/bacteriological sample submitted to Department? Yes V No  If yes, mo/day/yr sample was submitted N/A						
s If yes, mo/day/yr sample was submitted.N/A						
5 TYPE OF CASING USED: Steel V PVC Other						
CASING JOINTS:  Glued  Clamped  Welded  Threaded						
Casing diameter 2 in. to 1.5 ft., Diameter N/A in. to N/A ft., Diameter N/A in. to N/A ft.						
Casing height above land surface  TYPE OF SCREEN OR PERFORATION		lbs./ft., Wall thi	ckness or gauge No	o. Schedule 40		
Steel Stainless Steel	PVC	Other (Specify)				
☐ Brass ☐ Galvanized Steel	None used (open hole)					
SCREEN OR PERFORATION OPENING Continuous slot  Mill slot	S ARE:  Gauze wrapped  Torch cu	t Drilled holes	None (open hole	(a)		
Louvered shutter Key punched	☐ Wire wrapped ☐ Saw cut	Other (specify)				
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	From	6 ft., From	.N/A	to		
GRAVEL PACK INTERVALS:	From 12 ft to 3	Th	N/A ft	to It.		
	From N/A ft to N/	A ft From	N/A ft	to N/A ft I		
6 GROUT MATERIAL: Neat ceme Grout Intervals: From .2 ft. to	ent Cement grout Ber	ntonite Other .CO	ncrete 0 to 2-feet	NI/A		
Grout Intervals: From .4	mination:	ft. to .!\\//\ ft.,	, From .!\\A	ft. toft.		
What is the nearest source of possible conta	nes Pit privy Livesto	ck pens	e storage Oth	ner (specify below)		
Sewer lines Cesspool	Sewage lagoon Fuel sto					
☐ Watertight sewer lines ☐ Seepage p	oit	er storage				
FROM TO LITHOLOG				JGGING INTERVALS		
O 1 Asphalt (Fi)						
5 5 Siltx Clay			V-000-000-00-00-00-00-00-00-00-00-00-00-			
5.5 23 Clay 23 29 Siltx Clay						
29 30 Clayer Bed						
	A					
7 CONTRACTOR'S OR LANDOWNER						
under my jurisdiction and was completed o						
Kansas Water Well Contractor's License Nunder the business name of RAZEK Env	io/. 그런 This Water We vironmental LLC	II Kecord was complete	d on (mo/day/year)	)].1.114914V.14		
INSTRUCTIONS: Use typewriter or ball point per	1. <u>PLEASE PRESS FIRMLY</u> and <u>PRIN</u>	T clearly. Please fill in blank	s and check the correct	answers. Send one copy to		
Kansas Department of Health and Environ Telephone 785-296-5524. Send one copy to WAT.	ment, Bureau of Water, Geology Section	n, 1000 SW Jackson St., Suit	te 420, Topeka, Kansa	is 66612-1367.		

WATER WELL RECORD	Form WW	'C-5	Di	vision of Water	Resources App. No	).
1 LOCATION OF WATER WELL:	Fraction	Ch. C.	Section		Township No.	Range Number
County: Wilson Street/Rural Address of Well Location; i	funknown distance & d	lirection	Cloba	l Positioning		R /6 VE W
from nearest town or intersection: If at o			Latitu	ide:\$	13139456	formation: (in decimal degrees)
	,	Loyson .	Longi	itude: .45	.6848.435	(in decimal degrees)
			Eleva	tion:&.l.&	گا.(آ.ك	
2 WATER WELL OWNER: BP Proc	lucts North America, I	nc.	Collec	tion Method:	I, □ NAD 83, □	
RR#, Street Address, Box #: 1000 No	orth Sterling Avenue		П	GPS unit (Mak	e/Model:	)
City, State, ZIP Code : Sugar C	reek, MO 64054		Est. A	Digital Map/Pho ccuracy: 17 <	oto, ∐ Topographio 3 m. ∏ 3-5 m. ∏	c Map, 🗹 Land Survey 5-15 m, 🔲 >15 m
3 LOCATE WELL		28			, <u>L.J U U AAA, L.J</u>	
WITH AN "X" IN SECTION BOX:  4 DEPTH OF O	water Encountered (				ft (	3) N/A #
N WELL'S STATE	C WATER LEVEL 2.	.18.2 ft.	below l	land surface n	neasured on mo/d	ay/yr. 10.129NH
Pump	test data: Well water	wasN/A	ft	. afterN/A	hours pump	oing.N/A gpm
L TI TO	Agpm. Well water v	vas. N/A	ft.	after N/A	hours pum	ping N/A gpm
	eter 8.25in. to TO BE USED AS:					
X <sub>SW</sub> Domestic	☐ Feedlot ☐ O	il field wate	er suppl	y 🔲 De	watering [] (	Other (Specify below)
☐ Irrigation	☐ Industrial ☐ D	omestic-lav	vn & ga	rden 🗹 Mo	nitoring well .M.	W-15.0
Was a chemical/	bacteriological sample s day/yr sample was subm	ubmitted to	Depart	ment?	Yes 🗹 No	
1 mile  Water well disin	fected? Tyes 📝 N	инеп.(ЖА). О				
5 TYPE OF CASING USED:  Steel	<b>₽</b> PVC □ Ot	her				· · · · · · · · · · · · · · · · · · ·
CASING JOINTS: Glued Clan Casing diameter 2	nped Welded V	Threaded	Ι . Ν/Δ	0. 75.	NI/A	N/A a
Casing diameter .4	O ft., Diameter .!!!!	} in. N/A	to .!!!.^.	ft., Di	iameter .!\!/\	. m. to .!\\/\ ft.
TYPE OF SCREEN OR PERFORATION	MATERIAL:	- T.C	10S./T	i., wan unc	Ances of gauge IV	o
Steel Stainless Steel	<b>∠</b> PVC		Other (S	Specify)		
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING	None used (open holes ARF:	e)				
Continuous slot  Mill slot	Gauze wrapped	Torch cut	☐ Dri	lled holes	☐ None (open hole	
Louvered shutter Kev punched	☐ Wire wrapped ☐	Saw cut	Oth	er (specify)		 , Ν/Δ ~
SCREEN-PERFORATED INTERVALS:	From N/A ft.	to		It., From! ft From l	N/A fr	to!!//: tt. toN/A
GRAVEL PACK INTERVALS:	From	. to	<i>.</i>	ft., From	V/A ft.	to ft.
	From N/A ft.	to N/A		ft From!	V/A ft.	toN/A ft.
6 GROUT MATERIAL: Neat ceme Grout Intervals: From .2 ft. to	ent Cement grout	<b>V</b> I Bentoi N/A	nite 🕻	」Other . いい VA ff	From N/A	ft to N/A = ft
What is the nearest source of possible conta	mination:		10	11.,	110m	m. to
Septic tank Lateral lir	es 🗌 Pit privy 🗀	Livestock 1		☐ Insecticide		ner (specify below)
Sewer lines Cesspool Watertight sewer lines Seepage p		Fuel storag Fertilizer st		☐ Abandoned ☐ Oil well/ga		
Direction from well				ell		
FROM TO LITHOLOG		FROM	TO			IGGING INTERVALS
Oliver						
1 DS Silty Clay					successive of the second of th	
5 10 Clay	926-244-245-1					A CONTRACTOR OF THE STATE OF TH
265 27 clay						
27 28 Sondy grave						
			***************************************			
						And the second s
7 CONTRACTOR'S OR LANDOWNEI						
under my jurisdiction and was completed of	n (mo/day/year) 10123	3.[J.] ai	nd this r	ecord is true t	to the best of my	knowledge and belief.
Kansas Water Well Contractor's License Nunder the business name ofRAZEK.Env	ironmental, LLC	ater well K	ecora w bv 6	signature)	on (mo/day,year	A
INSTRUCTIONS: Use typewriter or ball point per	n. <u>PLEASE PRESS FIRMLY</u> a	nd <u>PRINT</u> el	early. Ple	ease fill in blanks	and check the correct	answers. Send one copy to
Kansas Department of Health and Environ Telephone 785-296-5524. Send one copy to WAT.						
	http://www.kdheks.gov/v					

WATER WELL RECORD	Form WWC-5	Di	vision of Water	r Resources App. No	),
1 LOCATION OF WATER WELL:	Fraction. 1/4 SW 1/4 SW 1/4 SW	Section		Township No.	Range Number
County: Wilson Street/Rural Address of Well Location; i			l Positioning	System (GPS) in	R /G DE DW
from nearest town or intersection: If at o		]. Latitu	ide: <b>3</b> <i>1.i</i>	43019929	(in decimal degrees)
					(in decimal degrees)
		Eleva Datun	111011: <b>5</b> .24 1: <b>Z</b> WGS 84	kO., y. 1 4, □ nad 83, □	 NAD 27
and and the control of the control o	lucts North America, Inc. orth Sterling Avenue		ction Method:	ra/Madal:	)
0' 0' 7TD 0 1	reek, MO 64054		Digital Map/Ph	oto, 🔲 Topographic	c Map, 🔽 Land Survey
		Est, A	ccuracy: 🛮 <	3 m, 3-5 m,	5-15 m, □>15 m
WITH AN "X" IN 4 DEPTH OF 6	COMPLETED WELL 20 (1) 2 (2) (2) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	1,50	ft.		
SECTION BOX: Depth(s) Ground N WELL'S STATE	water Encountered (1)	.\$ ft.	(2).N/A.	ft. (1	3). N/A ft.
WELL'S STATE	test data: Well water was. N	ft. below /A	land surface r	neasured on mo/da hours pum	oing N/A gpm
EST. YIELD. Ñ	Agpm. Well water was. N	'Aft	. after . <b>N/A</b>	hours pum	ping N/A gpm
W   E   Bore Hole Diam	eter 8.25in. to TO BE USED AS:   Public				ft. njection well
	☐ Feedlot ☐ Oil field	water suppl	v П De	watering \( \preceq \)	Other (Specify below)
Irrigation	☐ Industrial ☐ Domesti	c-lawn & ga	rden 🗹 Mo	onitoring well .M	W-151
Was a chemical/	bacteriological sample submitt day/yr sample was submitted.	ed to Depart VA	ment?	Yes 🗹 No	
	fected? Tyes 🔽 No	****			
5 TYPE OF CASING USED:  Steel	PVC Dother				
CASING JOINTS: Glued Clan	nped Welded M Three	aded	a n	. NI/A	. N/A a
Casing diameter .2 in. to .\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2 ft., Diameter N/A	. in. to .!\//\. lbe/f	ft., D T Wall thic	rameter .!\/\tau	. m. to .!\//\ ft. o Schedule 40
TYPE OF SCREEN OR PERFORATION					
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Steel	<ul><li>✓ PVC</li><li>☐ None used (open hole)</li></ul>	Other (	Specify)		
SCREEN OR PERFORATION OPENING					
Continuous slot Mill slot	Gauze wrapped Torch	eut 🔲 Dri	lled holes	☐ None (open hole	e)
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	From 14.15 ft. to	19.5 LOW	er (specify) ft., From	N/A ft. ı	to ft.
GRAVEL PACK INTERVALS:	From	I/A	ft., From	N/A ft.	to ft.
GRAVEL PACK INTERVALS:	From N/A ft. to	(∵, ,⊃ I/A	ft., From .!	N/Aft.	to
6 GROUT MATERIAL: Neat ceme Grout Intervals: From .2 ft. to	ent Cement grout DB	entonite 2	Other Cor	crete 0 to 2-feet	i
Grout Intervals: From .2 ft. to	12.5 ft., From N/A	ft. to .!.	√A ft.,	From .N/A	ft. to N/A ft.
What is the nearest source of possible conta	amination: les	tock pens	Insecticide	storage	ner (specify below)
Sewer lines Cesspool	Sewage lagoon Z Fuel s	torage	Abandoned	l water well	(of correction)
☐ Watertight sewer lines ☐ Seepage p			☐ Oil well/ga ell		
FROM TO LITHOLOG		<del></del>			IGGING INTERVALS
0 1 Asphalt Fill	- () - (				
5 29 Clay	9			· · · · · · · · · · · · · · · · · · ·	
5 29 Clay 29 29.5 Sandk War	(				
				· · · · · · · · · · · · · · · · · · ·	- WARRAN AND A COLOR OF THE COL
	ACCEPTATION STATE			1   1	
7 CONTRACTOR'S OR LANDOWNER under my jurisdiction and was completed o	n (mo/day/year) [6183])\d	water well v	was 🖊 constr	ucted, LI reconstr to the best of my k	ucted, or LJ plugged mowledge and belief
Kansas Water Well Contractor's License N	o. 759 This Water W	ell Record w	vas completed	on/(mo/day)year	
under the business name ofRAZEK.Env	ironmental, LLC	by (s	signature) 🛵	My (Par)	
INSTRUCTIONS: Use typewriter or ball point per Kansas Department of Health and Environ					
Telephone 785-296-5524. Send one copy to WAT					

WATER WELL RECORD	Form WW	C- <b>5</b>	Division of Water	r Resources App. No	).	
1 LOCATION OF WATER WELL: County: Wilson	Fraction 1/4 SW 1/4 SW 1/4	SW 1/4	Section Number	Township No.	Range Number R / E W	
Street/Rural Address of Well Location; if from nearest town or intersection: If at o	rection	Global Positioning System (GPS) information: Latitude: 3				
RR#, Street Address, Box #: 1000 No	lucts North America, In orth Sterling Avenue reek, MO 64054	C.	Collection Method:  GPS unit (Make)	re/Model:oto, 🔲 Topographic	) c Map, <b>☑</b> Land Survey	
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N  SECTION BOX: N  WELL'S STATIC WATER LEVEL. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \						
water well dishi	fected? Yes No					
5 TYPE OF CASING USED: Steel  CASING JOINTS: Glued Clan Casing diameter .2	nped   Welded   Welde	Threaded in. t /A	o .N/A ft., D	iameter N/A kness or gauge No	o. Schedule 40	
GRAVEL PACK INTERVALS:	S ARE:  Gauze wrapped T Wire wrapped From. N/A	forch cut aw cut o 33 o N/A to 33	Other (specify)	N/A ft. N/A ft. N/A ft.	to N/A ft. to N/A ft. to N/A ft. to N/A ft.	
6 GROUT MATERIAL: Neat ceme Grout Intervals: From .2 ft. to	ent Cement grout	Benton	ite 7 Other Cor	ncrete 0 to 2-feet		
What is the nearest source of possible conta  Septic tank Lateral ling Sewer lines Cesspool Watertight sewer lines Seepage p	amination:  les	Livestock p Fuel storage Fertilizer sto Distance f	ens	storage	er (specify below)	
FROM TO LITHOLOG	1	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
10 clay						
16 17.5 Greelx Clay						
17.5 18 Sal						
18 18,5 Sand > 51/4						
1815 23 Sandy grane)						
					M	
7 CONTRACTOR'S OR LANDOWNEI under my jurisdiction and was completed of Kansas Water Well Contractor's License N under the business name ofRAZEK ENV INSTRUCTIONS: Use typewriter or ball point per	n (mo/day/year) IOI 23 o. 759 This Wat ironmental, LLC	an ter Well Ro	d this record is true ecord was completed. by (signature)	to the best of my k l on (mo/day/yedi)	cnowledge and belief. 11/29/2014	
Kansas Department of Health and Environ Telephone 785-296-5524. Send one copy to WAT	ment, Bureau of Water, Geology	y Section, 10	00 SW Jackson St., Suit	e 420, Topeka, Kansa	s 66612-1367.	

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.						
1 LOCATION OF WATER WELL: County: Wilson	Fraction 4 SE 14 SE 14 NW 14	Section Number Township No. Range Number T 30 S R 16 VE W						
Street/Rural Address of Well Location; if from nearest town or intersection: If at o	f unknown, distance & direction							
RR#, Street Address, Box #: 1000 No	ducts North America, Inc. orth Sterling Avenue creek, MO 64054	Datum: WGS 84, NAD 83, NAD 27 Collection Method: GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: <a href="#">   Solution</a>						
3 LOCATE WELL	18							
WITH AN "X" IN SECTION BOX:  N  SECTION BOX:  N  WELL'S STATIC WATER LEVEL. S. A. T. ft. below land surface measured on mo/day/yr. IO/ALL'S.  Pump test data: Well water was. N/A. ft. after. N/A. hours pumping. N/A. gpm  EST. YIELD. N/A. gpm. Well water was. N/A. ft. after. N/A. hours pumping. N/A. gpm  Bore Hole Diameter 8.25 in. to ft., and N/A. in. to N/A. ft.  WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Golf field water supply Dewatering Other (Specify below)  Irrigation Industrial Domestic-lawn & garden Monitoring well MW-15-3.  Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted N/A.								
Water well disinfected?								
GRAVEL PACK INTERVALS:	Gauze wrapped Torch cut Wire wrapped Saw cut From N/A ft. to N/A	☐ Other (specify)						
6 GROUT MATERIAL: Neat ceme	ent 🔲 Cement grout 🎵 Bento	nite of Other Concrete 0 to 2-feet						
What is the nearest source of possible conta	amination:  les	ge Abandoned water well						
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS						
0 2 Asphalt (Fill 2 10 Silt x (19x ) Co 8:5 (19x0 x 5ilt ) 8:5 10 (19x0 x 919) 10 18 5000 x 919)								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Department of Health and Environ	ment, Bureau of Water, Geology Section,	clearly. Please fill in blanks and check the correct answers. Send one copy to 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Trecords. Include fee of \$5.00 for each constructed well. Visit us at ex html						

WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources App. N	0.		
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number		
County: Wilson	14NW14SW 14NW1	4 70	T 30 S	R 6 DE DW		
Street/Rural Address of Well Location; from nearest town or intersection: If at		Global Positioning	g System (GPS) ii 42379 265	nformation: (in decimal degrees)		
from hearest town of intersection. If at	wher's address, check here	Longitude: M.S	1.66.72.67.18	\( \) (in decimal degrees)		
		Elevation: 8.C	)			
2 WATER WELL OWNER: BP Prod	durate NI suble Australian Inc.	<u> </u>	4, 🔲 NAD 83, 🗀	NAD 27		
	ducts North America, Inc. orth Sterling Avenue	Collection Method:	ke/Model·	)		
G' G / 7ID G 1	Creek, MO 64054	Digital Map/Pl	10to, 🔲 Topographi	c Map, 🗹 Land Survey		
		Est, Accuracy: 🗸	<3 m, 3-5 m,	5-15 m,  >15 m		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL						
SECTION BOX: Depth(s) Ground	lwater Encountered (1)!5	ft. (2).N/A	ft. (	(3). N/A ft.		
	IC WATER LEVEL! H.T. Q.					
	test data: Well water was. N/A /Agpm. Well water was. N/A	ft. after N/A	hours pum	ping. N/A gpm		
W - NW NE - EST. YIELD.N. Bore Hole Diam	eter 8.25 in. to	ft and N/A in	to N/A	ft		
	TO BE USED AS: Public w			Injection well		
	☐ Feedlot ☐ Oil field wa	iter supply $\Box$ D	ewatering 🔲	Other (Specify below)		
Irrigation		awn & garden 🗹 M	onitoring well .!!	MA-12:4		
Was a chemical	/bacteriological sample submitted /day/yr sample was submitted.N/A	to Department?	Yes V No			
	ifected? Yes No					
5 TYPE OF CASING USED: Stee				·		
CASING JOINTS:   Glued   Clar	nned 🗍 Welded 💋 Thread	ed				
Casing diameter .2 in. to	ft., Diameter N/A in	ı. to .N/A ft., I	Diameter .N/A	in. to ft.		
Casing height above land surface		lbs./ft., Wall thi	ckness or gauge N	o. Schedule 40		
TYPE OF SCREEN OR PERFORATION  Steel Stainless Steel	MATERIAL:  PVC	Other (Specify)				
Brass Galvanized Steel	None used (open hole)	State (Spaces)				
SCREEN OR PERFORATION OPENING				1 \		
Continuous slot Mill slot Louvered shutter Key punched	Gauze wrapped Torch cut	Drilled holes Other (specify)	☐ None (open ho	ie)		
SCREEN-PERFORATED INTERVALS:	From ft. to	O ft., From .	.N/A ft.	to ft.		
	From N/A ft. to N/A	ft., From .	N/A ft.	to ft.		
GRAVEL PACK INTERVALS:	From N/A ft. to N/A	ft., From .	N/A ft.	to		
6 CROUT MATERIAL: Neat cem	ent Cement grout Rent	onite 7 Other Co	ncrete 0 to 2-fee	tt		
6 GROUT MATERIAL: Neat cem Grout Intervals: From .2 ft. to	ft., From N/A	ft. to N/A ft.	, From N/A	ft. to . N/A ft.		
What is the nearest source of possible cont	amination:					
Septic tank Lateral ling Sewer lines Cesspool	nes Pit privy Livestoc  Sewage lagoon Fuel stor			her (specify below)		
Watertight sewer lines Seepage						
Direction from well	Distance	e from well				
FROM TO LITHOLOG	GIC LOG FROM	TO LITHO. I	.OG (cont.) <u>or</u> PLU	JGGING INTERVALS		
D 0.5 Topsoil						
0.5 4.5 Silty clay						
7.5 R.5 Clarex sound				<u> </u>		
8.5 15 SILLY (10V)						
15 20 Govelly Solve						
			A WHAT A			
7 CONTRACTOR'S OR LANDOWNE						
under my jurisdiction and was completed of	on (mo/day/year) 10/23.114	and this record is true	to the best of my	knowledge and belief.		
Kansas Water Well Contractor's License N				1) 11/29/2014		
under the business name ofRAZEK.Env INSTRUCTIONS: Use typewriter or ball point pe	n. PLEASE PRESS FIRMLY and PRINT	clearly. Please fill in blank	s and check the correct	t answers. Send one copy to		
Kansas Department of Health and Environ Telephone 785-296-5524. Send one copy to WAT	ment, Bureau of Water, Geology Section,	1000 SW Jackson St., Sui	te 420, Topeka, Kans	as 66612-1367.		

WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. N	), Louisian (1)
1 LOCATION OF WATER WELL:	Fraction	Section Number		Range Number
County: Wilson	1/4 NW1/4SW 1/4 NW 1/4	20	T 30 S	R 16 DE DW
Street/Rural Address of Well Location;		Global Positioning	g System (GPS) in	formation:  (in decimal degrees)  3. (in decimal degrees)
from nearest town or intersection: If at	owner's address, check here	Landide3	12862895	3 (in decimal degrees)
		Elevation:3.1	1.33	(in decimal degrees)
A MILLERY WITH A CAMPAGE		Datum: WGS 84		
	ducts North America, Inc.	Collection Method:	25.11	
G': G: 4 77TD G 1	orth Sterling Avenue	GPS unit (Mak	oto $\square$ Topographi	) c Map, <b>√</b> Land Survey
Sugar C	Creek, MO 64054	Est. Accuracy: \(\overline{\mathcal{Z}}\)	3 m, 3-5 m,	5-15 m, $\square > 15$ m
3 LOCATE WELL	COMPLETED WELL 34.5	50		
WITH AN "X" IN SECTION BOX: 4 DEPTH OF Depth(s) Groun	COMPLETED WELL		ft (	3). N/A ft.
N WELL'S STAT	TC WATER LEVEL 18:35ft.	helow land surface t	neasured on mo/d	av/vr 101291124
Pumi	test data: Well water was N/A	ft. after N/A	hours pum	ping. N/Agpm
EST. YIELD. N	VAgpm. Well water was N/A	ft. after . N/A	hours pum	ping N/A gpm
W E Bore Hole Dian	neter 8.25 in. to fi	t., and . <b>N/A</b> in.	to .N/A	.ft.
WELL WATER	R TO BE USED AS: Public water Feedlot Oil field water	er supply	othermal []	njection well
SW SE Domestic	☐ Industrial ☐ Domestic-law	r suppry 💢 De	watering LT onitoring well M	W-155
	/bacteriological sample submitted to	Department?	Yes <b>V</b> No	
s If yes, mo	/day/yr sample was submitted.N/A		Madde	
Water well disin	nfected? 🔲 Yes 🔽 No			
5 TYPE OF CASING USED: Stee	el 🗹 PVC 🔲 Other		****	
CASING JOINTS: Glued Cla	mped 🔲 Welded 🖊 Threaded	N/A	. Ν/Λ	. N/A a
Casing diameter .2 in. to	ft., Diameter .!\/A in. t	io .!!// ft., D	nameter .!!!!	m. to .!\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
TYPE OF SCREEN OR PERFORATION		108./11., wan un	ikiless of gauge in	0991194199
Steel Stainless Steel	Z PVC	Other (Specify)		
	None used (open hole)			
SCREEN OR PERFORATION OPENING  Continuous slot  Mill slot		☐ Drilled holes	None (open hol	(a)
Louvered shutter Key punched	☐ Wire wrapped ☐ Saw cut	Other (specify)		
SCREEN_PERFORATED INTERVALS:	From Q ft to & 15	ft From	N/A fr	to N/A ft
	From N/A ft. to N/A	ft., From	N/A ft.	to $\frac{N/A}{N}$ ft.
GRAVEL PACK INTERVALS:	From N/A ft. to N/A From N/A ft. to N/A From N/A ft. to N/A	et From	N/A 11.	to N/A ft
6 GROUT MATERIAL: Neat cem	ent Cement grout Bentor	ite 7 Other Col	ncrete 0 to 2-fee	t
Grout Intervals: From .2 ft. t	o	ft. to N/A ft.,	From N/A	ft. to . N/A ft.
What is the nearest source of possible con-	tamination:			
Septic tank Lateral li Sewer lines Cesspool	nes Pit privy Livestock p Sewage lagoon Z Fuel storage			ner (specify below)
Watertight sewer lines Seepage				
Direction from well		from well		
FROM TO LITHOLOG	· · · · · · · · · · · · · · · · · · ·	TO LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS
0 2 Asphalt (Fill)	(VOSOV)			
2 55 Clay				
8,5 10 8,14x Clay				
10 12 Sand clay			to the state of th	
15 17 Sondy Clong				
17 245 Grandly Sand				
7			······	
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION. This water	er well was [7] constr	nicted Treconst	ructed, or 🗖 nlugged
under my jurisdiction and was completed	on (mo/day/year) 101.24114 ar	ad this record is true	to the best of mv	khowledge and belief.
Kansas Water Well Contractor's License 1	No. 759 This Water Well R	ecord was complete	d on/(mo/day/)year	11/29/2014
under the business name of RAZEK En	vironmental, LLC	. by (signature) M	who you	La Santa
INSTRUCTIONS: Use typewriter or ball point po	en. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> element, Bureau of Water, Geology Section, 16			
Telephone 785-296-5524. Send one copy to WA	ΓER WELL OWNER and retain one for your	records. Include fee of	\$5.00 for each constru	cted well. Visit us at

WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No	0.
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number
County: Wilson	1/4 NW 1/4 NW 1/4 SW 1/	4 20	T 30 S	R /6 DE DW
Street/Rural Address of Well Location; from nearest town or intersection: If at o		Global Positioning	g System (GPS) in リカロリ30()	iformation: (in decimal degrees)
from hearest town of intersection. If at o	wher s address, effect fiere	Longitude: 3.5.	1 (36 36 319	(in decimal degrees)
		Elevation: 30.	<u></u>	
2 WATER WELL OWNER: BP Prod	ducts North America, Inc.	Datum: WGS 8- Collection Method:	4, ☐ NAD 83, ☐	NAD 27
201110	orth Sterling Avenue	GPS unit (Mal		)
City, State, ZIP Code : Sugar C	reek, MO 64054	Digital Map/Ph	oto, Topographi	c Map, Land Survey
3 LOCATE WELL		Est. Accuracy:		3-13 m,     >13 m
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 2.2.	<u>. 50</u> ft.		<b>.</b>
SECTION BOX: Depth(s) Ground N WELL'S STAT	Iwater Encountered (1)l.(0	ft. (2).N/A.	ft. (	(3). N/A (10/29/11). ft.
WELL'S STAT	IC WATER LEVEL 16.3.6. test data: Well water was. N/A	tt, below land surface if	measured on mo/d	ay/yr.!\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
DOT VIET D Ñ	/Agpm. Well water was N/A	ft. after N/A	hours pum	ping N/A gpm
W E Bore Hole Diam	eter 8.25 in. to	.ft., and .N/Ain.	. to .N/A	.ft.
WELL WATER	TO BE USED AS: Public w	ater supply	othermal I	injection well
Domestic Irrigation	☐ Feedlot ☐ Oil field wa ☐ Industrial ☐ Domestic-l	iter supply $\square$ De	ewatering [] (	Other (Specify below) W-156
Was a chemical	bacteriological sample submitted	to Department?	Yes V No	
S If yes, more	day/yr sample was submitted.N/A	\	housed	•
Water well disir	fected? Yes No			
5 TYPE OF CASING USED:	PVC Other			
CASING JOINTS: Glued Clar Casing diameter .2	mped Welded M Thread	ed N/A a D	N/A	: to N/A
Casing height above land surface	in Weight N/A	ı. to .:::::: ıt., L lbs/ft Wall thi	ekness or gange N	Schedule 40
TYPE OF SCREEN OR PERFORATION	MATERIAL:			
Steel Stainless Steel		Other (Specify)		
Brass Galvanized Steel SCREEN OR PERFORATION OPENING				
Continuous slot  Mill slot	Gauze wrapped Torch cut	Drilled holes	None (open hol	le)
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	☐ Wire wrapped ☐ Saw cut	Other (specify)	NI/A 0	N/A
SCREEN-PERFORATED INTERVALS:	From N/A ft to N/A	ft From	N/A ft	to!\/\tau\/\tau\
GRAVEL PACK INTERVALS:	From 1.5 ft. to 2.7	ft., From .	N/A ft.	to N/A ft.
]	From N/A ft to N/A	ft From	IN/A II	to IN/A tt.
6 GROUT MATERIAL: Neat cem Grout Intervals: From .2 ft. to	ent Cement grout Ben	onite Other CO	ncrete U to 2-tee	α Ν/Δ α
What is the nearest source of possible cont	o	II. to .!!!!!\ II.,	, From .!	., 11. 10
	nes Pit privy Livestoc	k pens	e storage Otl	her (specify below)
Sewer lines Cesspool	Sewage lagoon  Fuel stor			
☐ Watertight sewer lines ☐ Seepage ☐ Direction from well		storage    Oil well/g		
FROM TO LITHOLOG				JGGING INTERVALS
0 1 8:11				
1 8 Clay				
8 15 Silty clay				
15 16 5:17 16 17 Silty Sounda				
10 17 Silty Sound				
11 2813 57602114 3			AND THE PARTY OF T	
7 CONTRACTOR'S OR LANDOWNE	P'S CEDTIFICATION: This w	ater well was [7] const	nucted Treconst	ructed or Unlugged
under my jurisdiction and was completed	on (mo/day/year) .101.231.124	and this record is true	to the best of my	kno∳ledge and belief.
Kansas Water Well Contractor's License N	No. 759 This Water Well	Record was complete	🕽 on (mo/day/year	<sub>:) .</sub> 1/1/29/2014
under the business name of RAZEK En	vironmental, LLC	by (signature) $\mathcal{U}$	molar litour	
INSTRUCTIONS: Use typewriter or ball point pe Kansas Department of Health and Environ	n. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> nment, Bureau of Water, Geology Section	clearly. Please fill in blank 1000 SW Jackson St., Sui	ts and check the correct te 420, Topeka, Kans	as 66612-1367.
Telephone 785-296-5524 Send one copy to WAT				

WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No	
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number
County: Wilson	14 NW 14 NW 14 SW	1/4 dO	T 30 S	R /6 DE DW
Street/Rural Address of Well Location; i		Global Positioning	; System (GPS) in	formation: (in decimal degrees) (in decimal degrees)
from nearest town or intersection: If at o	owner's address, check here	Longitude: 35	. 6850369	5. (in decimal degrees)
		Elevation:6.\	da 3l	
2 WATER WELL OWNER: BP Proc		Datum: WGS 8	4, 🔲 NAD 83, 🔲	NAD 27
	ducts North America, Inc. orth Sterling Avenue	Collection Method:	re/Model:	)
a: a: mm a 1	reek, MO 64054	Digital Map/Ph	ioto, 🔲 Topographic	c Map, 🗹 Land Survey
		Est. Accuracy: $\overline{Z}$		5-15 m,  >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF 0	COMPLETED WELL 34	.50 ft.		
SECTION BOX: Depth(s) Ground	lwater Encountered (1)2	ft. (2).N/A	ft. (	3). N/A ft.
N WELL'S STATI	IC WATER LEVEL. 20. 1.10	.ft. below land surface	measured on mo/da	ay/yr10.(.29.[1.4
Pump	test data: Well water was. N/A /Agpm. Well water was. N/A	\ft. afterN/A	hours pump	ping. N/A gpm
Bore Hole Diam	eter 8.25 in. to	ft and N/A in	nours puin to N/A	fit gping.
WELL WATER	TO BE USED AS:   Public v	vater supply 🔲 Ge	eothermal 🔲 I	njection well
Sw. SE Domestic	☐ Feedlot ☐ Oil field w	vater supply \( \square\) De	ewatering \( \sum_{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\texi}\tex{\text{\text{\text{\text{\text{\text{\text{\texi}\tint{\texi}\tint{\text{\texit{\text{\text{\texi}\tint{\text{\texi}\text{\	Other (Specify below)
I I I I I I I I I I I I I I I I I I I	☐ Industrial ☐ Domestic-	lawn & garden Mo	onitoring well .!!!	W-12.4
	bacteriological sample submitted.N/		res M No	
	fected? Yes No			
5 TYPE OF CASING USED:  Steel				g quyyayay karan ana aka ka ka ka di kaka di kaka di ka ka ana ana ay ana ay ana ay ana ana ana a
CASING IOINTS:   Glued   Clar	nned 🔲 Welded 💋 Threa	ded		
Casing diameter .2 in. to	ft., Diameter N/A	n. to .N/A ft., D	iameter .N/A	in. toN/A ft.
Casing height above land surface		lbs./ft., Wall thi	ckness or gauge N	oScriedule 40
Steel Stainless Steel	PVC	Other (Specify)		,
Brass Galvanized Steel	☐ None used (open hole)			
SCREEN OR PERFORATION OPENING Continuous slot  Mill slot	S ARE: ☐ Gauze wrapped ☐ Torch cu	t Drilled holes	☐ None (open hol	(a)
Louvered shutter Key punched	☐ Wire wrapped ☐ Saw cut	Other (specify)		
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	From Y.S ft. to	1.5 ft., From	N/A ft.	to
GRAVEL PACK INTERVALS:	From	1. From	N/A ft.	toft.
	From IV/A ft to IV/	ft From	IV/A ft.	toN/A ft. 1
6 GROUT MATERIAL: Neat ceme Grout Intervals: From .2 ft. to	ent Cement grout Bei	ntonite Other Co	ncrete 0 to 2-feet	
Grout Intervals: From .2 ft. to	ft., From N/A	ft. to .N/A ft.,	, From N/A	ft. toft.
What is the nearest source of possible conta	amination: nes	ck pens	e storage     Oth	ner (specify below)
Sewer lines Cesspool	Sewage lagoon Z Fuel sto			ier (speerly below)
☐ Watertight sewer lines ☐ Seepage p	oit Feedyard Fertilize			
Direction from well		ce from well		JGGING INTERVALS
FROM TO LITHOLOG		10 LITHULL	OG (cont.) of FLC	OGING INTERVALS
C Hopfrost & Brie				y
5 17 Silty (lay				
11 14 Sandy Clay				
14 16 Sand x Sitt				
165 20 500 x 500 W				
20 2015 Sandy grave				
20.5 21 Saval				
21 245 Sandy Grave 1		April	, posses	
7 CONTRACTOR'S OR LANDOWNED under my jurisdiction and was completed or				
Kansas Water Well Contractor's License N	In (mo/day/year)	. and this record is true I Record was complete	don (mo/dav/vear	11/29/2014
under the business name of RAZEK Env	/ironmental. LLC	by (signature)	MANNEY / JOAN	√\. <u>.</u>
INSTRUCTIONS: Use typewriter or ball point per Kansas Department of Health and Environ	n. <i>PLEASE PRESS FIRMLY</i> and <i>PRIN</i>	T clearly. Please fill in blank	s and check the correct	t answers. Send one copy to
Kansas Department of Health and Environ Telephone 785-296-5524. Send one copy to WAT				

WATER WELL RECORD	Form WWC-5	Division of Water	r Resources App. No	). L.
1 LOCATION OF WATER WELL: County: Wilson	Fraction 1/4 NW 1/4 SW 1/4	Section Number	Township No. T 30 S	Range Number R
Street/Rural Address of Well Location; i	f unknown, distance & direction	Global Positioning	System (GPS) in	formation: (in decimal degrees) O (in decimal degrees)
from nearest town or intersection: If at o	owner's address, check here .	Latitude:	4132 1448	(in decimal degrees)
		Longitude:	2.28 	(in decimal degrees)
		Datum: WGS 84	i, □ NAD 83, □	NAD 27
mm II o	lucts North America, Inc.	Collection Method:	. /h / . 1 . 1 .	,
C'u Cu ZID C 1	orth Sterlina Avenue creek, MO 64054			c Map, 🗹 Land Survey
		Est. Accuracy: Z <		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF O	COMPLETED WELL 20	,50° ft		
SECTION BOX: Depth(s) Ground	lwater Encountered (1) 🔎	ft (2) N/A	ft. (	3). N/A ft.
N WELL'S STATI	C WATER LEVEL 19.81.ft.	below land surface r	neasured on mo/da	ay/yr.191.291.124
	test data: Well water was N/A			
W - NW - NE - EST. YIELD. NV Bore Hole Diam	Agpm. Well water was N/A eter 8.25 in. to f	and N/A in	to N/A	ping gpm ft
	TO BE USED AS:   Public water			njection well
	☐ Feedlot ☐ Oil field water	r supply 🔲 De	watering \	Other (Specify below)
☐ Irrigation Was a shomical/	☐ Industrial ☐ Domestic-law bacteriological sample submitted to			M. 12 8
S If yes, mo/	day/yr sample was submitted.N/A	Department:	103 1140	
	fected? Tyes 🔽 No			
5 TYPE OF CASING USED: Steel			****	engangen er
CASING JOINTS: Glued Clan	nped Welded M Threaded	N/A a p	. N/A	· . N/A
Casing diameter .2 in. to	in Weight N/A	io .!!//\damma It., D	lameter .!!/\damax	Schedule 40
TYPE OF SCREEN OR PERFORATION	MATERIAL:			
Steel Stainless Steel		Other (Specify)		
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING				
Continuous slot  Mill slot	Gauze wrapped Torch cut	Drilled holes	☐ None (open hol	e)
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	Wire wrapped Saw cut	Other (specify)	 Ν/Δ &	
SCREEN-PERFORATED INTERVALS:	From N/A ft to N/A	n., From ft From	N/A ft	to N/A ft
GRAVEL PACK INTERVALS:	From N/A ft. to N/A From N/A ft. to N/A From N/A ft. to N/A	5 ft., From	N/A ft.	to ft.
	From N/A ft. to N/A	ft., From	N/A ft.	toN/A ft.
6 GROUT MATERIAL: Neat ceme Grout Intervals: From 2 ft. to	ent Cement grout Bentor	fite V Other	From N/A	ft to N/A ft
What is the nearest source of possible conta			110111	
☐ Septic tank ☐ Lateral lir	nes Pit privy Livestock p			ner (specify below)
Sewer lines Cesspool Watertight sewer lines Seepage r	Sewage lagoon Fuel storag			
Direction from well	Distance	from well		
FROM TO LITHOLOG		TO LITHO. L	OG (cont.) or PLU	JGGING INTERVALS
0 1 Asphalt Brich	11212			
1 6.5 Silty Clay				
7,5 10 Siltx Clay				And the second s
10 15 Sander 5141				
15 23 Say				
23 23.5 Sondy clay				
26 265 9000				
2615 Siltstone				
7 CONTRACTOR'S OR LANDOWNEI	R'S CERTIFICATION: This water	er well was 🔽 constr	ucted, reconstr	ructed, or $\square$ plugged
under my jurisdiction and was completed of Kansas Water Well Contractor's License N	on (mo/day/year) ISLACL IT ar Io. 759 This Water Well R	ecord was completed	kon (moldav/vear	1/29/2014
under the business name of RAZEK Env	vironmental, LLC	. by (signature)(.	MML_V.t	Tout to
INSTRUCTIONS: Use typewriter or ball point per	n. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> el- ment, Bureau of Water, Geology Section, 10			
Telephone 785-296-5524. Send one copy to WAT				

WATER WELL RECORD	Form WWC	<b>-5</b> Div	rision of Wate	r Resources App. No	).
1 LOCATION OF WATER WELL:	Fraction	Sectio			Range Number
County: Wilson	14NW 14NW 14S		۸()		R /6 DE DW
Street/Rural Address of Well Location; from nearest town or intersection: If at a		Global Latitu	de Z	System (GPS) in	iformation: (in decimal degrees)
from hearest town of intersection. If at t	wher a address, effect here	Longi	tude: 95.	.686266	(in decimal degrees)
		Eleva	ion:80	80.	(in decimal degrees)
2 WATER WELL OWNER: BP Prod	Justa Nasti Associam Inc	——— <u>Datum</u>	: 🔽 WGS 8	4, □ NAD 83, □	NAD 27
	ducts North America, Inc. orth Sterling Avenue		tion Method: PS unit (Mal	ce/Model:	)
G' G TTD G 1	reek, MO 64054		igital Map/Pl	noto, 🔲 Topographic	c Map, 🗹 Land Survey
			ccuracy: 🖊 <	<3 m, □ 3-5 m, □	5-15 m,   >15 m
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	20	ft.		
SECTION BOX:   Depth(s) Ground	iwater Encountered (1)		(2).N/A	ft. (1	3). N/A ft.
N WELL'S STAT	C WATER LEVEL 5.1.	3.3ft. below 1	and surface	measured on mo/da	ay/yr.1012411.4
POT MET D. N	test data: Well water was 'Agpm. Well water was	s!N/Att. N/A &	after N/A	hours pump	ping. N/A gpm
WNWNE EST. YIELD.N. Bore Hole Diam	eter 8.25in. to	ft. and	V/A in.	to N/A	ft.
UELL WATER	TO BE USED AS: 🔲 Pu	blic water suppl	y 🔲 Ge	eothermal 🔲 I	njection well
	☐ Feedlot ☐ Oil fi	eld water supply	$I = \square D$	ewatering \	Other (Specify below)
Irrigation	Industrial Dom	estic-lawn & gai	rden 🛂 Mo	onitoring well .!!!!	νν
	day/yr sample was submitte			ies VINO	
	fected? Yes No		,,,,,,,,,,		
5 TYPE OF CASING USED:  Stee	PVC ☐ Other			*****	
CASING JOINTS:   Glued   Clar	nned 🗖 Welded 🗖 T	Threaded			N1/A
Casing diameter .2 in. to	2 ft., Diameter N/A	in. to .N/A	ft., D	piameter .!N/A	in. to .N/A ft.
Casing height above land surface TYPE OF SCREEN OR PERFORATION		1bs./11	, Wall thi	ckness or gauge No	oScriedule 40
☐ Steel ☐ Stainless Steel	<b>17</b> 1 PVC	Other (S	Specify)		
☐ Brass ☐ Galvanized Steel	None used (open hole)		• • • • • • • • • • • • • • • • • • • •		,
SCREEN OR PERFORATION OPENING	S ARE:  Gauze wrapped  Tor	nolo out - [7] Dui	Had balas	□ None (open hal	:0)
Continuous slot Mill slot Louvered shutter Key punched	☐ Wire wrapped ☐ Sar	w cut_ Oth	ned noies er (specify)	☐ None (open nor	
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	From ft. to	a⊙	. ft., From	N/A ft.	to ft.
CD AND DA ON DIFFERENCE OF	From ft. to	A	ft., From	N/A ft.	to ft.
GRAVEL PACK INTERVALS:	From N/A ft to	N/A	II., From . ft From	N/A ft	to N/A ft
6 GROUT MATERIAL: Neat cem	ent. Cement grout $\nabla$	1 Bentonite 🗸	Other .Co	ncrete 0 to 2-feet	t
6 GROUT MATERIAL: Neat cem Grout Intervals: From .2 ft. to	, 1.5 ft., From N//	5 ft. to	/A ft.	, From N/A	ft. to . N/Aft.
What is the nearest source of possible cont	amination:				
Septic tank Lateral ling Sewer lines Cesspool			☐ Insecticide☐ Abandone		ner (specify below)
☐ Watertight sewer lines ☐ Seepage	oit Feedyard Fe	ertilizer storage	Oil well/g	as well	
Direction from well		Distance from we			TO OTHER TRANSPORTERS
FROM TO LITHOLOG		ROM TO	LITHO. L	OG (cont.) or PLU	JGGING INTERVALS
1 314 Silf x clay	ich(Fill				
14 165 511+					
16,5 18,5 Silt x Sand					
18,5 26 Sandy gravel					
			******		
			<u> </u>		
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION:	This water well v	vas 🖊 const	ructed, $\square$ reconstr	ructed, or plugged
under my jurisdiction and was completed of Kansas Water Well Contractor's License N	in (mo/day/year) JULATI.	I and this r	ecord is true	to the best of my l	knowledge and belief.
under the business name ofRAZEK.En					
INSTRUCTIONS: Use typewriter or ball point pe	n. PLEASE PRESS FIRMLY and	PRINT clearly. Ple	ase fill in blank	s and check the correct	t answers. Send one copy to
Kansas Department of Health and Enviror Telephone 785-296-5524. Send one copy to WAT					

WATER WELL RECORD	Form WWG	C <b>-5</b>	Division of Water	Resources App. No	).
1 LOCATION OF WATER WELL:	Fraction	C C	Section Number	Township No.	Range Number
County: Wilson	Fraction 4NE 4NE 14	56 1/4	$\frac{1}{2}$	T 30 S	R/6 VE UW
Street/Rural Address of Well Location; if from nearest town or intersection: If at a		rection re	Global Positioning	System (GPS) in:	formation: (in decimal degrees) (in decimal degrees)
nom nearest town or mensection. If at	Who s address, eneck no.	.~ [	Longitude: 9.5.	68843699	(in decimal degrees)
			Elevation:\$05 <u>Datum</u> : <b>Z</b> WGS 84	60.3 <u></u>	
2 WATER WELL OWNER: BP Prod	ducts North America, Inc		<u>Datum</u> : WGS 84 Collection Method:	, ∐ NAD 83, ∐	NAD 27
RR#, Street Address, Box #: 1000 No	orth Sterling Avenue	·	GPS unit (Make		)
City, State, ZIP Code : Sugar C	Creek, MO 64054				c Map, \( \overline{\sqrt{Land Survey}} \)
3 LOCATE WELL			Est. Accuracy:	) III, [ ] 3-3 III, [ ]	3-13 III, [] /13 III
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	21.0	ft.		N/A
SECTION BOX: Depth(s) Ground WELL'S STAT	lwater Encountered (1) IC WATER LEVEL. M. 2.	!	ft. (2).N/A	ft. (1	3) ft.
WELL, SSIAT	test data: Well water wa	as. N/A	ft. afterWA	hours pum	oing. N/A gpm
EST. YIELD. Ñ	/Agpm. Well water wa	as. N/A	ft. after . N/A	hours pum	ping N/A gpm
W  =  E  Bore Hole Diam	eter 8.25 in. to				
	TO BE USED AS: P	'ublic watei field water	r supply		njection well Other (Specify below)
SW SE Domestic Irrigation		mestic-lawi	n & garden 🔽 Mo	nitoring well M	W-160
Was a chemical	bacteriological sample sub	bmitted to	Department? 🔲 🗅	Yes 🗹 No	
	day/yr sample was submit				
water wen dish	fected? Yes No			**************************************	
5 TYPE OF CASING USED: Steel CASING JOINTS: Glued Clar				***	
Casing diameter .2 in. to	ft. Diameter N/A	in. to	N/A ft., Di	iameter N/A	in. to . N/A ft.
Casing height above land surface	Neight N	/A	lbs./ft., Wall thic	kness or gauge No	o. Schedule 40
TYPE OF SCREEN OR PERFORATION  Steel Stainless Steel			Other (Specify)		
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Steel	✓ PVC ☐ None used (open hole)		Julei (Specify)		
SCREEN OR PERFORATION OPENING	S ARE:			processing	
Continuous slot Mill slot	Gauze wrapped T	orch cut	☐ Drilled holes	None (open hole	e)
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	From ft. t	o a.l	ft., From!	√A ft. :	to N/A ft.
	From ft. t	oN/A	ft., From!	N/A ft. :	to ft.
GRAVEL PACK INTERVALS:	From N/A ft. t	to …熱 。 N/A	ft., From .!	₩A ft. '	to ft.
6 GROUT MATERIAL: Neat ceme	ent $\square$ Cement grout	<b>☑</b> Bentoni	te 7 Other Cor	icrete 0 to 2-feet	(
6 GROUT MATERIAL: Neat ceme Grout Intervals: From .2 ft. to	, H ft., From N	17A ft	t. to . N/A ft.,	From .N/A	ft. to . N/Aft.
What is the nearest source of possible cont	amination:				ner (specify below)
Septic tank Lateral lin Sewer lines Cesspool		Livestock pe Fuel storage			ler (specify below)
☐ Watertight sewer lines ☐ Seepage 1	oit Feedyard	Fertilizer sto	rage 🔲 Oil well/ga	s well	
Direction from well		Distance fi FROM	rom well TO LITHO. LO		JGGING INTERVALS
	il in	FROM	TO LITHO. LA	JG (cont.) of FLC	OGING INTERVALS
1 519 Siltx Gay					***************************************
19 20 Sony clay					
20 21 wavelly Son					Western Co.
				<u> </u>	
				A. A	
	A CONTRACTOR OF THE CONTRACTOR				
7 CONTRACTOR'S OR LANDOWNED	D'S CEDTIFICATION:	This water	· well was [7] constr	ucted [] reconstr	racted or Unlugged
under my jurisdiction and was completed of	on (mo/day/year)   O[ ]	I.}⊶ and	I this record is true t	to the best of my k	knowledge and belief.
Kansas Water Well Contractor's License N	Io759 This Wat	ter Well Re	cord was completed	l on [mo/day/year]	) 11/29/2014
under the business name ofRAZEK Env	/ironmental, LLC		by (signature) Un	W/ I Hay	
INSTRUCTIONS: Use typewriter or ball point pe Kansas Department of Health and Environ	ment, Bureau of Water, Geology	y Section, 100	00 SW Jackson St., Suite	e 420, Topeka, Kansa	ns 66612-1367.
Telephone 785-296-5524. Send one copy to WAT	ER WELL OWNER and retain	one for your re	ecords. Include fee of \$	5.00 for each construc	oted well. Visit us at

WATER WELL RECORD	Form WV	VC-5	Di	vision of Wate	r Resources App. No	).
1 LOCATION OF WATER WELL: County: Wilson	Fraction 4NE 4NE	1/4 SE 1/4	1 1	Number	T 30 S	Range Number R / 6 □ E □ W
Street/Rural Address of Well Location;	f unknown, distance &	direction	Globa	l Positioning	System (GPS) in	formation: (in decimal degrees) (in decimal degrees)
from nearest town or intersection: If at o	owner's address, check	here	Latitu	ide: <b>31</b> imde: 95	1363931	(in decimal degrees)
			Eleva	tion:89	7,680	···· (iii decimai degrees)
2 WATER WELL OWNER: BP Prod	ducts North America,	Inc	Datum	<u>ı</u> : 🖊 WGS 8	4, □ NAD 83, □	NAD 27
	orth Sterling Avenue	IIIG.				)
C'. C 7ID C 1	reek, MO 64054					Map, Land Survey
3 LOCATE WELL		70			3 m, □ 3-5 m, □	3-13 m,
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL		00,	ft.		- N/A
SECTION BOX: Depth(s) Ground WELL'S STATE	lwater Encountered IC WATER LEVEL.	(1)(1)	い. ft.	(2).N/A. Land curface i	tt. (3	3).!\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Pump	test data: Well water	was N/A	ft	after NA .	hours pum	oing. N/A gpm
EST. YIELD. N	Agpm. Well water	was N/A	ft.	. after . N/A	hours pum	ping. N/A gpm
	eter 8.25 in. to TO BE USED AS:					
WELL WATER SWSE □ Domestic	☐ Feedlot ☐ C	Dil field wat	er suppl	v П De	ewatering	Other (Specify below)
☐ Irrigation	☐ Industrial ☐ I	Domestic-la	wn & ga	rden 🗹 Mo	onitoring well .M	N-161
Was a chemical/	bacteriological sample day/yr sample was sub	submitted t	o Depart	tment?	Yes V No	
Water well disin	fected? Yes 7	muea.rws. No				
5 TYPE OF CASING USED: Stee	PVC C	ther				
CASING JOINTS: \(\Pi\) Glued \(\Pi\) Clar	nned   Welded	7 Threade	d			<b>.</b> 1/A
Casing diameter .2 in. to	ft., Diameter N	/A in.	to .N/A	ft., D	iameter .N/A	in. to .N/A ft.
Casing height above land surface2 TYPE OF SCREEN OR PERFORATION			IDS./I	t., wan une	ckness or gauge no	) <u></u>
Steel Stainless Steel	<b>₹</b> PVC		Other (	Specify)		
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING		ole)				
Continuous slot  Mill slot	Gauze wrapped	Torch cut	☐ Dri	illed holes	None (open hole	e)
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	☐ Wire wrapped ☐	Saw cut	Ų ☐ Oth	ner (specify)	N/A &	
SCREEN-PERFORATED INTERVALS:	From N/A f	t. to		ft., From	N/A ft.	to . N/A
GRAVEL PACK INTERVALS:	From f	i. to	J	ft., From	N/A ft.	to ft.
C CDOUT MATERIAL TINE	From N/A f	t. to N/A.		ft., From	N/A ft.	toN/A ft.
6 GROUT MATERIAL: Neat cemeral New New York New	ent Cement grout	N/A	ft. to	JOiner	From N/A	ft. to N/A ft.
What is the nearest source of possible conta	amination:					
Septic tank Lateral lin Sewer lines Cesspool		Livestock Fuel stora		☐ Insecticide ☐ Abandone	·	er (specify below)
Watertight sewer lines Seepage		Fertilizer :	storage	Oil well/ga	as well	•••••
Direction from well   FROM   TO   LITHOLOG					OC (seed) on DLT	IGGING INTERVALS
FROM TO LITHOLOG	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	FROM	ТО	LIINO. L	OG (cont.) of FLC	OGING INTERVALS
1 4 Silty Clay						
4 8 Sandy cldy			·			
8 18,5 Ciltx Clay 18,5 20 Gravelly Sond			***************************************			
18.5 20 Gravelly Sand			***************************************			
	- Line Control of the					
			<del></del>			
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION	N: This wa	er well	was 🔽 consti	nıcted, 🔲 reconstr	ucted, or  plugged
under my jurisdiction and was completed of	on (mo/day/year) [9].)	J1174 6	nd this r	record is true	to the best of my k	mowledge and belief.
Kansas Water Well Contractor's License Nunder the business name of RAZEK Env						
INSTRUCTIONS: Use typewriter or ball point per	n. <i>PLEASE PRESS FIRMLY</i>	and <u>PRINT</u> c	learly. Ple	ease fill in blank	s and check the correct	answers. Send one copy to
Kansas Department of Health and Environ Telephone 785-296-5524. Send one copy to WAT	ment, Bureau of Water, Geol ER WELL OWNER and reta	logy Section, in one for von	000 SW .	Jackson St., Suit Include fee of	te 420, Topeka, Kansa \$5.00 for each construc	s 66612-1367. eted well. Visit us at
The state of the s	http://www.kdheks.gov					

WATER WELL RECORD	Form WV	VC-5	Div	vision of Water	Resources App. No	0.
1 LOCATION OF WATER WELL: County: Wilson	Fraction 14 NE 14NE	1/ SE 1/	Section	Number	Township No.	Range Number
	County: Wilson    Y   Y   Y   Y   Y   Y   Y   Y   Y					R /6 E W
from nearest town or intersection: If at o			Latitu	ide: 3 . )	41945226	(in decimal degrees)
			Longi	itude: $3$	~64101H83	(in decimal degrees)
			- Bieva Datum	110n:9.9. n: <b>[7</b> ] WGS 84	3•	 NAD 27
1 2020 11 60 1 4 1 1 25 11	lucts North America.	Inc.	Collec	tion Method:		
C' C TID C 1	orth Sterling Avenue reek, MO 64054			3PS unit (Mak Digital Map/Ph	e/Model:oto, 🎵 Topographi	) c Map, ☑ Land Survey
- Guyar C	166K, WO 04004		Est. A	ccuracy: 🔽 <	3 m, ☐ 3-5 m, ☐	5-15 m, □ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF C	COMPLETED WELL	Mars	50	ft.		
SECTION BOX: Depth(s) Ground	water Encountered	(1)}:Ø	ft.	(2).N/A.	ft. (	3). N/A
N WELL'S STATI	C WATER LEVEL. 9	1.7.8ft	below l	land surface n	neasured on mo/d	ay/yr101.29.[.]./
Per viter D M	test data: Well water Agpm. Well water	was N/A	n	after N/A	nours pum hours pum	ping. N/A gpm
W       E   Bore Hole Diam	eter 8.25 in. to		ft., and .	N/Ain.	to .N/A	ft.
	TO BE USED AS:					njection well
SW SE Domestic	Feedlot C Industrial I	omestic-lav	er suppr vn & ga	y ☐ De rden 🔽 Mo	mitoring well M	W- (Specify below)
Was a chemical/	bacteriological sample	submitted to	Depart	ment?	Yes 🗹 No	
	day/yr sample was subi fected? 🔲 Yes 🕡 N					
Water well dishi						
5 TYPE OF CASING USED: Steel CASING JOINTS: Glued Clan	PVC □ O			•••••		
Casing diameter .2 in. to	ft., Diameter .N.	A in.	to NA	ft., D	iameter N/A	in. to . N/A ft.
Casing height above land surface	.) in., Weight	N/A	lbs./f	t., Wall thic	kness or gauge N	o. Schedule 40
TYPE OF SCREEN OR PERFORATION  Steel Stainless Steel	MATERIAL:  ZPVC	-	Other (S	Specify)		
Brass Galvanized Steel	None used (open ho	ole)		1		
SCREEN OR PERFORATION OPENING Continuous slot  Mill slot		l Torch cut	□ Dri	lled holes	☐ None (open hol	e)
Louvered shutter Key punched	☐ Wire wrapped ☐	Saw cut	□ Oth	er (specify)		
SCREEN-PERFORATED INTERVALS:	From N/A 6	t. toΩ. t. toΝ/Δ	1.5	ft., From	N/A	to
GRAVEL PACK INTERVALS:	From N/A f	t. to		ft., From	WA ft.	to N/A ft.
GRAVEL PACK INTERVALS:	From N/Å f	t. toN/Ā		ft., From!	<u> </u>	toN/A ft.
6 GROUT MATERIAL: Neat ceme Grout Intervals: From .2 ft. to	ent Cement grout	<b>☑</b> Bento:	nite 🗗	Other . Cor	crete 0 to 2-tee	t to N/A fr
What is the nearest source of possible conta		.1.70.3	11. 10	Y.A H.,	FIOR TSSTS	11. 10
Septic tank Lateral lir	es Pit privy	Livestock		Insecticide		ner (specify below)
Sewer lines Cesspool Watertight sewer lines Seepage p		Tuel storag Fertilizer s		☐ Abandoned☐ Oil well/ga		
Direction from well		Distance	_	ell		
FROM TO LITHOLOG	7 (	FROM	ТО	LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING INTERVALS
2 9 Clay	1000					
9 10.5 Silty clay						
10:5 16:5 sawy grabel						
						and the second s
	:					
7 CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATION	V: This wat	er well v	vas [ <b>7</b> ] constr	neted. Treconstr	ucted, or $\square$ nlugged
under my jurisdiction and was completed o	n (mo/day/year) . <b>!.0!</b> .∂	H.D.H a	nd this r	ecord is true t	to the/best of my l	knowledge and belief.
Kansas Water Well Contractor's License N						
under the business name of RAZEK.Env						
Kansas Department of Health and Environ	ment, Bureau of Water, Geol	ogy Section, 1	000 SW J	lackson St., Suit	e 420, Topeka, Kansa	is 66612-1367.
Telephone 785-296-5524. Send one copy to WAT	ER WELL OWNER and retain the http://www.kdheks.gov			menude fee of \$	oo,oo for each construc	orea well. Visit us at

WATER WELL RECORD	Form WWC	C <b>-5</b>	Div	vision of Wate	r Resources App. N	0.
1 LOCATION OF WATER WELL: County: Wilson	Fraction 1/4 NE 1/4 NE 1/4	SE 1/4		on Number	T 30 S	Range Number R & ME \( \text{W} \)
Street/Rural Address of Well Location; from nearest town or intersection: If at of	Funknown, distance & direction Global Positioning System (GPS) information					nformation:
from hearest town of intersection. If at t	owner's address, check her	IС Ц.	Longi	itude: 🥄 🗲 🕡	6717 449	5 (in decimal degrees)
			Eleva	tion:K.C	)S, 1.9 4,	
	ducts North America, Inc	Э.	Collec	tion Method:		
G' G + ZID G 1	orth Sterlina Avenue			GPS unit (Mak Digital Man/Ph	te/Model:	c Map, ☑ Land Survey
Gadar C	creek, MO 64054		Est. A	ccuracy: 🔽 <	3 m, 3-5 m,	5-15 m,     >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF		16.5		ft.		
SECTION BOX: Depth(s) Ground N WELL'S STAT	water Encountered (1) C WATER LEVEL	P	ft.	(2).N/A.	ft. (	(3). N/A ft.
WELL'S STAT	test data: Well water wa	as. N/A	below I	land surface i . after. N/A	neasured on mo/d hours pum	ping. N/A
EST. YIELD. Ñ	Agpm. Well water wa	<sub>as.</sub> N/A	ft.	after N/A	hours pum	ping N/A gpm
	eter 8.25 in. to TO BE USED AS: P					
Domestic	☐ Feedlot ☐ Oil	field water	er supply	y 🔲 De	watering []	Other (Specify below)
	Industrial Dor bacteriological sample sub					.vv163
S If yes, mo/	day/yr sample was submit	tted.N/A.			res 🖳 140	
	fected? Yes No					
5 TYPE OF CASING USED: ☐ Stee CASING JOINTS: ☐ Glued ☐ Clar						
Casing diameter 2	ft., Diameter NA.	in.	to NA	ft., D	iameter N/A	in. to .N/A ft.
Casing height above land surface	O in., Weight .N	/A	lbs./fi	t., Wall thic	ekness or gauge N	o. Schedule 40
TYPE OF SCREEN OR PERFORATION  Steel Stainless Steel	<b>∠</b> PVC		Other (S	Specify)		
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING	None used (open hole)					
Continuous slot  Mill slot	☐ Gauze wrapped ☐ Te	orch cut	☐ Dri	lled holes	☐ None (open hol	
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	Wire wrapped Sa	aw cut	S Oth	er (specify)	 N/A fr	to N/A ft
SCREEN-FERFORATED INTERVALS.	From N/A ft. to	oN/A	٠,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ft., From	N/A ft.	to N/A ft.
GRAVEL PACK INTERVALS:	From N/A ft. to	o . 1.(a . N/A	٠	ft., From	N/A ft. N/A ft	to .N/A ft.
6 GROUT MATERIAL: Neat ceme	ent 🔲 Cement grout	7 Bento:	nite 🗸	Other Col	ncrete U to 2-tee	Į.
Grout Intervals: From .2 ft. to What is the nearest source of possible control	ft., From N	!/A	ft. to	√A ft.,	From .N/A	ft. to . N/Aft.
1	nes 🔲 Pit privy 🔲 🗆	Livestock <sub>1</sub>		☐ Insecticide		ner (specify below)
Sewer lines Cesspool Watertight sewer lines Seepage		Fuel storag Fertilizer s		☐ Abandoned ☐ Oil well/ga		
Direction from well				ell		
FROM TO LITHOLOG	GIC LOG F	FROM	ТО	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS
0,5 8,5 clax						
8,5 9,5 Silty clay						
10.5 16.5 Clayer 56 2						
16 165 Sitt stone						
						And the second s
7 CONTRACTOR'S OR LANDOWNED under my jurisdiction and was completed or	R'S CERTIFICATION:	This wat	er well v	was 🚺 consti	ructed, reconst	ructed, or plugged
Kansas Water Well Contractor's License N	This Wat	er Well R	ecord w	as completed	l on (mo/day/year	) /1/1/29/2014
under the business name of RAZEK Env	rironmental, LLC		by (s	signature) 🗘	Man Han	.VA
INSTRUCTIONS: Use typewriter or ball point pe Kansas Department of Health and Environ	ment, Bureau of Water, Geology	Section, 1	000 SW J	Jackson St., Suit	e 420, Ťopeka, Kansa	as 66612-1367.
Telephone 785-296-5524. Send one copy to WAT	ER WELL OWNER and retain o			Include fee of S	\$5.00 for each constru	cted well. Visit us at

WATER WELL RECORD	Form WWC-5	Di	vision of Wate	er Resources App. No					
1 LOCATION OF WATER WELL: County: Wilson	Fraction 1/4 SE 1/4 NO	Section Section	Number	T 30 S	Range Number R /				
	eet/Rural Address of Well Location; if unknown, distance & direction m nearest town or intersection: If at owner's address, check here .				Global Positioning System (GPS) information: Latitude:				
RR#, Street Address, Box #: 1000 No	ducts North America, Inc. orth Sterling Avenue Creek, MO 64054		<u>ction Method:</u> GPS unit (Mal Digital Map/Pl	ke/Model: 10to, 🏻 Topographic	) c Map, 🗹 Land Survey				
SECTION BOX: N   SECT									
TYPE OF CASING USED:									
Grout Intervals: From .2	6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete U to 2-feet  Grout Intervals: From 2								
FROM TO LITHOLOG					GGING INTERVALS				
O   Tapsoil (Fill	TIME TIME	10	LATITO. L	o cont.) or ribe	SIN SIN LINE Y (KLA)				
1 10 clay									
10 17 silty clay									
17 19.5 Sandy grave1									
1					26-04-04-04-04-04-04-04-04-04-04-04-04-04-				
					and a thirt benday, the file bearwill be \$100 to \$100 men in the world year and show the property of				
T CONTROL OF A 122 OF	DIG CEDMINICATION OF		 		4-1 1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, r									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html									

WATER WELL RECORD	Form WWC-5	Division of Water	Resources App. No	0.
1 LOCATION OF WATER WELL:	Fraction 6 1/4 SE 1/4 NE 1/4	Section Number	Township No.	Range Number
County: Wilson	1/4 5 1/4 5 1/4 1/4			R 16 VE UW
Street/Rural Address of Well Location; from nearest town or intersection: If at		Global Positioning	System (GPS) in	formation: (in decimal degrees)
from hearest town of intersection. If at	owner's address, check here	Longitude: 95	. 6698 797	O. (in decimal degrees)
		Elevation: 81	0,26	Q. (in decimal degrees)
2 WATER WELL OWNER: BP Pro	I I A B A A A A A A A A A A A A A A A A	Datum: 🛮 WGS 84	, 🔲 NAD 83, 🔲	NAD 27
DD // C: / / 11 D // DI / 10	ducts North America, Inc. orth Sterling Avenue	Collection Method:	e/Model·	)
G' G' 7ID G 1	Creek, MO 64054	Digital Map/Pho	oto, 🔲 Topographi	c Map, 🔽 Land Survey
		Est. Accuracy: <b>Z</b> <	3 m, 🔲 3-5 m, 🗀	5-15 m, □ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 22	/ ft		
SECTION BOX: Depth(s) Groun	dwater Encountered (1)\.3	ft. (2).N/A	ft. (	3). N/A ft.
N WELL'S STAT	IC WATER LEVEL. 1 2 1 25 ft.	below land surface n	neasured on mo/d	ay/yr1.01.29.11.4
Pump	test data: Well water was N/A	ft. after N/A	hours pum	ping. N/A gpm
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VAgpm. Well water was N/A neter 8.25 in. to	ft. after N/A	hours pum tο Ν/Δ	ping.!\/A gpm
	R TO BE USED AS: Public wat			njection well
SWSE Domestic	Feedlot Oil field water	er supply		
☐ Irrigation	☐ Industrial ☐ Domestic-lay	vn & garden 🗹 Mo:	nitoring well .M	W-165
	/bacteriological sample submitted to		Yes 🔽 No	
	/day/yr sample was submitted.N/A. nfected? ☐ Yes ☑ No	• • • • • • • • • • • • • • • • • • • •		
water well dish		· · · · · · · · · · · · · · · · · · ·		
5 TYPE OF CASING USED: Stee CASING JOINTS: Glued Cla			••••	
Casing diameter .2 in. to	ft Diameter N/A in	to N/A ft Di	ameter N/A	in to N/A ft
Casing height above land surface	30 in, Weight N/A	lbs./ft., Wall thic	kness or gauge N	o. Schedule 40
TYPE OF SCREEN OR PERFORATION	MATERIAL:		•	
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Steel	✓ PVC □ None used (open hole)	Other (Specify)		
SCREEN OR PERFORATION OPENING	IS ARE:			
Continuous slot  Mill slot	Gauze wrapped Torch cut	☐ Drilled holes	None (open hol	e)
☐ Louvered shutter ☐ Key punched SCREEN-PERFORATED INTERVALS:	☐ Wire wrapped ☐ Saw cut	Other (specify)		 . Ν/Δ ~
SCREEN-PERFORATED INTERVALS:	From N/A ft to N/A	ft From	VA	to
GRAVEL PACK INTERVALS:	From 5 ft. to 22	ft., From	V/A ft.	to N/A ft.
	From N/A ft. to N/A	ft., From!	V/A ft.	toN/A ft.
6 GROUT MATERIAL: Neat cem Grout Intervals: From .2 ft. t	ent Cement grout Bento	nite Other Con	crete 0 to 2-tee	t
		ft. to .!\//\ ft.,	From .!\!/!\	ft. to .!\\/\ft.
What is the nearest source of possible cont  Septic tank  Lateral li	nes Pit privy Livestock	oens 🔲 Insecticide	storage	ner (specify below)
Sewer lines Cesspool	Sewage lagoon  Fuel storag	e 🔲 Abandoned	water well	\1
Watertight sewer lines Seepage				
Direction from well		from well TO LITHO. LO		JGGING INTERVALS
0 1.5 F; 11	JIC LOG TROM	TO LITTO. LA	or (cont.) or The	JOGING INTERVALS
1.5 10 Silty Clay				
10 13.5 Clay				
15.5 22 Sandy Vay		and the second s	***************************************	
				AND STATE OF THE S
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION: This wat	er well was 🖊 constru	icted, 🗌 reconsti	ructed, or  plugged
under my jurisdiction and was completed	on (mo/day/year) 101.171111 a	nd this record is true t	o the best of my	knowledge and belief.
Kansas Water Well Contractor's License I under the business name of RAZEK.En	vic. 1.99 Inis Water Well R	by (signature)	on (mo/day/year	)
INSTRUCTIONS: Use typewriter or ball point pe	n. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> c	early. Please fill in blanks	and check the correct	t answers. Send one copy to
Kansas Department of Health and Environ Telephone 785-296-5524. Send one copy to WAT	nment, Bureau of Water, Geology Section, 1 ER WELL OWNER and retain one for your			

WATER WELL RECORD	Form WWC-5	Division of Water	Resources App. No	).
1 LOCATION OF WATER WELL:	I:	Section Number	Township No.	Range Number
County: Wilson	Fraction 1/4 SE 1/4 SE 1/4 NE 1/4	14	T 30 S	R/6 VE DW
Street/Rural Address of Well Location;		Global Positioning	System (GPS) in	formation: (in decimal degrees) (in decimal degrees)
from nearest town or intersection: If at o	owner's address, check here .	Laurude:	1288J 120	(in decimal degrees)
		Elevation:8C	9.1	(in decimal degrees)
A WATER WELL OWNER		Datum: 🖊 WGS 84	I, 🔲 NAD 83, 🔲	NAD 27
	ducts North America, Inc.	Collection Method:	- /N d - 1 - 1 -	,
at a ama	orth Sterling Avenue			) c Map, 🗹 Land Survey
Sugar C	Creek, MO 64054	Est. Accuracy: \(\overline{\mathcal{Z}}\) <	3 m, 3-5 m,	5-15 m, $\square$ >15 m
3 LOCATE WELL	COMPLETED WELL 19.4	00 .		
WITH AN "X" IN 4 DEPTH OF 6 SECTION BOX: Depth(s) Ground	dwater Encountered (1)	ft (2) N/A	ft (	3) N/A ft
N WELL'S STAT	IC WATER LEVEL 11.23. ft	below land surface r	neasured on mo/d	ay/yr. 101.29114
Pump	test data: Well water was NA	ft. after. NA	hours pum	oing. N/A gpm
EST. YIELD. N	/Agpm. Well water was N/A	ft. after . N/A	hours pum	ping. N/A gpm
W       E   Bore Hole Diam	neter 8.25 in to			
WELL WATER	. TO BE USED AS: Public wat  Feedlot Oil field wat	er supply	othermal I	njection wen Other (Specify below)
SWSE Domestic		vn & garden 💆 Mo	onitoring well M	W-166
Was a chemical	bacteriological sample submitted to	Department?	Yes 🗹 No	
	day/yr sample was submitted.N/A			
	ifected? Yes 7 No			
5 TYPE OF CASING USED: Stee	PVC Dother	1	••••	
CASING JOINTS: Glued Clar Casing diameter .2	nped Welded M I hreade	a to N/A fr D	iameter N/A	in to N/A ft
Casing height above land surface	in Weight N/A	lbs./ft Wall thic	kness or gauge N	o Schedule 40
TYPE OF SCREEN OR PERFORATION	MATERIAL:			
Steel Stainless Steel	PVC	Other (Specify)		
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING				
Continuous slot	Gauze wrapped Torch cut	Drilled holes	☐ None (open hol	e)
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	☐ Wire wrapped ☐ Saw cuto	Other (specify)	NI/A	
SCREEN-PERFORATED INTERVALS:	From N/A ft. to N/A	ft., From	N/Att. N/A fr	to
GRAVEL PACK INTERVALS:	From $\rightarrow$ ft to $19$	ft. From	N/A ft.	to N/A ft.
	From N/A ft. to N/A	ft., From	N/A ft.	toN/A ft.
6 GROUT MATERIAL: Neat cem Grout Intervals: From .2 ft. to	ent _ Cement grout Z Bento	nite Other Co	ncrete 0 to 2-tee	t
Grout Intervals: From Z ft. to	ft., From .N/A	ft. to .!\\/A ft.,	From .!\\A	ft. toft.
What is the nearest source of possible cont    Septic tank	amination: nes Pit privy Livestock	pens	storage	ner (specify below)
Sewer lines Cesspool	Sewage lagoon  Fuel stora	ge 🔲 Abandoneo	l water well	(-F )
☐ Watertight sewer lines ☐ Seepage				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Direction from well   FROM   TO   LITHOLOG		from well TO LITHO. Le		JGGING INTERVALS
FROM TO LITHOLOG	HC LOG FROM	TO LITTO. L	00 (cont.) <u>or</u> 1 Le	OGGING INTERVALS
5,5 10,5 Clay				<del>, , , , , , , , , , , , , , , , , , , </del>
10.5 11.5 Silty day				
11.5 15 Clayer gravel				w
15 17 Clay				
17 13 Clary grave				- Aphan and a SMM SM Administration of the SM
18 19 Sandy scare!				
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION: This wa	er well was 🛮 constr	ructed, reconst	ructed, or plugged
under my jurisdiction and was completed of Kansas Water Well Contractor's License N	on (mo/day/year) .[9] Ø.T. [15] a	nd this record is true	to the pest of my	knowledge and belief.
under the business name ofRAZEK.En	vironmental, LLC	by (signature)	on unorday/year	
INSTRUCTIONS: Use typewriter or ball point pe	n. PLEASE PRESS FIRMLY and PRINT of	learly. Please fill in blank	s and check the correc	t answers. Send one copy to
Kansas Department of Health and Environ Telephone 785-296-5524. Send one copy to WAT	ment, Bureau of Water, Geology Section,	000 SW Jackson St., Suit	e 420, Topeka, Kansa	as 66612-1367.

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Wilson	14 SE 14 SE 14NE 1	4 T 30 S R 16 ME W
Street/Rural Address of Well Location; i from nearest town or intersection: If at o		Global Positioning System (GPS) information:  Latitude:
from hearest town or intersection: If at C	wher's address, check here	Longitude:
		Elevation: Sand 128
2 WATER WELLOWNER.		Elevation:
DD 0 0 1 1 1 1 D 0	lucts North America, Inc.	Collection Method: GPS unit (Make/Model:)
O's Control 1	orth Sterling Avenue Greek, MO 64054	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey
Sugar C	Teek, WO 64054	Est. Accuracy:
3 LOCATE WELL	COMPLETED WELL 14	.00
WITH AN "X" IN 4 DEPTH OF ( SECTION BOX: Depth(s) Ground	byster Encountered (1)	ft. (2).N/A ft. (3).N/A ft.
N WELL'S STATI	C WATER LEVEL -	it. below land surface measured on mo/day/yr10(291)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Pump	test data: Well water was. N/A	ft. after.N/A hours pumping.N/A gpm
NW NE EST. YIELD. N	'Agpm. Well water was NA.	ft. after N/A hours pumping N/A gpm
w         ⊾   E   Bore Hole Diam		.ft., and .N/Ain. to .N/Aft.
		ater supply Geothermal Injection well ter supply Dewatering Other (Specify below)
swse Domestic Irrigation	Industrial Domestical	nwn & garden Monitoring well MW- (Specify below)
	bacteriological sample submitted	to Department?  Yes  No
s If yes, mo/	day/yr sample was submitted.N/A	Control Contro
1 mile  Water well disin	fected? Tyes 7 No	
5 TYPE OF CASING USED: Steel	PVC Dther	
CASING JOINTS: Glued Clan	pped 🔲 Welded 💋 Thread	ed
Casing diameter .2 in. to	Fig. 1. St., Diameter .N/A ir	to N/A ft., Diameter N/A in to N/A ft.
TYPE OF SCREEN OR PERFORATION		lbs./ft., Wall thickness or gauge NoSchedule 40
Steel Stainless Steel	V PVC	Other (Specify)
Brass Galvanized Steel	None used (open hole)	
SCREEN OR PERFORATION OPENING		
Continuous slot Mill slot Louvered shutter Key punched	Gauze wrapped Torch cut	☐ Drilled holes ☐ None (open hole) ☐ Other (specify)
SCREEN-PERFORATED INTERVALS:	From 15 ft. to	ft., From .N/A ft. to .N/A ft.
	Enoug N/A & 6 to N/A	e Enough N/A fe to N/A fe
GRAVEL PACK INTERVALS:	From	ft., From N/A ft to N/A ft ft., From N/A ft.
CODOUT MATERIAL.   Nect com	From N/A tt. to N/A	tt., From
Grout Intervals: From 2 ft to	ft From N/A	onite Other Concrete 0 to 2-feet . ft. to N/A ft., From N/A ft. to N/A ft.
What is the nearest source of possible conta		
	nes Pit privy Livestocl	
Sewer lines Cesspool Watertight sewer lines Seepage p	Sewage lagoon Fuel store	
Direction from well		e from well
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 0.5 Tapso.1		
0,5 2 clay		
2 5 Sandy clay		
5 13 51/2 clay		
13 14 Sandy clay		
1 2		
7 CONTRACTOR'S OR LANDOWNER	CS CERTIFICATION: This wa	nter well was \( \begin{align*} \text{constructed}, \left\ \ \text{period for my knowledge and belief} \)
under my jurisdiction and was completed of Kansas Water Well Contractor's License N	in (mo/day/year) M. I.	and this record is true to the best of my knowledge and belief.  Record was completed on/(mo/day/year) 11/29/2014
		by (signature)
INSTRUCTIONS: Use typewriter or ball point per	n. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u>	clearly. Please fill in blanks and check the correct answers. Send one copy to
		1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  ur records. Include fee of \$5.00 for each constructed well. Visit us at

WATER WELL RECORD	Form WW		Divi	sion of Water	r Resources App. No	).	
1 LOCATION OF WATER WELL: County: Wilson	Fraction E 1/4 NE 1	4NE 14	Section	Number	Township No. T 30 S	Range Number R (	
Street/Rural Address of Well Location; if unknown, distance & direction				Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here .			Latitud   Longiti	le: <b>)</b>	128 P889:	. (in decimal degrees)	
			Elevati	on:B	06 : 08		
2 WATER WELL OWNER: BP Prod	ducts North America, Ir	nc			4, □ NAD 83, □	NAD 27	
RR#, Street Address, Box #: 1000 No	orth Sterling Avenue	10.	Collection Method:  GPS unit (Make/Model:)				
City, State, ZIP Code : Sugar Creek, MO 64054					oto, 🔲 Topographi 3 m, 🔲 3-5 m, 🔲	c Map, ☑ Land Survey 5-15 m, ☐ >15 m	
3 LOCATE WELL	COMPLETED WELL .	1-7					
WITH AN "X" IN 4 DEPTH OF 6 Depth(s) Ground	lwater Encountered (!	!	ft.		ft. (	3). N/A ft.	
N WELL'S STAT	Iwater Encountered (IC WATER LEVEL.)	3.9ft.	below la	and surface i	measured on mo/d	ay/yr.10[29]]14	
	test data: Well water w /Agpm. Well water w	wasN/A was N/A		afterN/A after N/A	hours pum	oing N/A gpm ning N/A gpm	
W Bore Hole Diam	eter 8.25 in to	fi	t., and .N	l/Ain.	to .N/A	ft.	
Domostia	TO BE USED AS:  Feedlot Oi	Public water	er supply	⊤ ☐ Ge	othermal I	njection well	
Irrigation	☐ Industrial ☐ Do	omestic-law	n & gard	den 🗹 Mo	onitoring well M	W-168	
Was a chemical	bacteriological sample st	ubmitted to	Departn	nent?	Yes 🗹 No		
	day/yr sample was subm ifected? ☐ Yes 🕡 No						
5 TYPE OF CASING USED: Stee					****		
CASING JOINTS: Glued Clar Casing diameter 2	nped Welded V	Threaded	NI/A		. Ν/Δ	. N/A a	
Casing diameter .4 in. to	ft., Diameter .\\\f	⅓	to .!\!//\   Ths:/ft	ft., D Wall thic	nameter .!!//\	Schedule 40	
TYPE OF SCREEN OR PERFORATION	MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Steel	PVC None used (open hole		Other (SI	pecify)	,		
SCREEN OR PERFORATION OPENING	SS ARE:		<b></b>				
☐ Continuous slot ☐ Mill slot ☐ Louvered shutter ☐ Key punched	Gauze wrapped	Saw cut	Othe	r (specify)	None (open hol	·	
SCREEN-PERFORATED INTERVALS:	Fromft.	tol		ft., From	N/A	to ft.	
GRAVEL PACK INTERVALS:	From N/A ft.	toIVA		ft., From ft From	N/A ft	to	
	From N/A ft	to N/A		ft From	N/A ft.	toN/A ft.	
6 GROUT MATERIAL: Neat cem Grout Intervals: From .2 ft. to	ent Cement grout	☑ Bentor N/A	nite 🚺	Other . C.O.! 'A fr	ncrete U to 2-tee From N/A	ft to N/A ft	
What is the nearest source of possible cont	amination:		14. 10				
Septic tank Lateral ling Sewer lines Cesspool		Livestock p Fuel storag	ens [	Insecticide Abandone	e storage	ner (specify below)	
☐ Watertight sewer lines ☐ Seepage	pit 🗌 Feedyard 📗	Fertilizer st	orage [	🗍 Oil well/g	as well		
Direction from well		Distance FROM	from wel		OG (cont.) or PLI	JGGING INTERVALS	
O 1 Top Soil Fil		TROM	10	Diffio. L	OG (cone.) <u>Gr</u> TEC		
1 7 Clayay soul							
3 6 5 try clay						and the second s	
6 10 Clayex Sand							
10 15.5 Jayes 5200	lans						
15.5 16 Sandy grave							
36356							
7 COMPLETE ON A MINORALE	Dic CERTIFICATION	TI:4			and Tananat	mated or Chalugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, r							
Kansas Water Well Contractor's License N	Kansas Water Well Contractor's License No. 759. This Water Well Record was completed on (mo/day/year) 1/1/29/2014. under the business name of RAZEK Environmental LLC by (signature)						
under the business name ofRAZEK.En' INSTRUCTIONS: Use typewriter or ball point pe	/Ironmental, LLC n. PLEASE PRESS FIRMLY A	and PRINT of	by (si early. Plea	وم). (gnature) se fill in blank	s and check the correct	t answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html							

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.					
1 LOCATION OF WATER WELL: County: Wilson	Fraction 1/4 NE 1/4 NE 1/4	Section Number   Township No.   Range Number   T 30 S R   ME W					
Street/Rural Address of Well Location;		Global Positioning System (GPS) information:					
from nearest town or intersection: If at	owner's address, check here .	Latitude:3.11.2.1.3.5.1.1. (in decimal degrees) Longitude: 9.56.2.1.2.1.1. (in decimal degrees)					
		Elevation: 303.95					
A WAPED WELL OWNED.		Datum: WGS 84, NAD 83, NAD 27					
	ducts North America, Inc. orth Sterling Avenue	Collection Method:  GPS unit (Make/Model:)					
Circo Carro Carro	Creek, MO 64054	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey					
Ougur	5100K, WO 04004	Est. Accuracy:					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 14.5	ft.					
SECTION BOX: Depth(s) Groun	dwater Encountered (1)	ft. (2) N/A ft. (3) N/A ft. below land surface measured on mo/day/yr. 10129114					
N WELL'S STAT	TC WATER LEVEL. 3.5.4ft.	below land surface measured on mo/day/yr. 101 & 1114					
		ft. after. N/A hours pumping. N/A gpm hours pumping. N/A gpm					
W NW NE EST. YIELD. N Bore Hole Dian	neter 8.25 in to	t., and N/Ain. to N/Aft.					
WELL WATER	R TO BE USED AS: 🔲 Public wat	er supply Geothermal Injection well					
swse Domestic	☐ Feedlot ☐ Oil field water	er supply					
Irrigation Was a chemical	/bacteriological sample submitted to	n & garden ☑ Monitoring well MW-1.69					
s If yes, mo	/day/yr sample was submitted.N/A.						
Water well disin	nfected?  Yes  No						
5 TYPE OF CASING USED: Stee							
CASING JOINTS: Glued Cla	mped Welded M Threaded	N/A & Diameter N/A in to N/A &					
Casing diameter .4 in. to	in Weight N/A	to N/A ft., Diameter N/A in to N/A ftlbs./ft., Wall thickness or gauge No. Schedule 40					
TYPE OF SCREEN OR PERFORATION	MATERIAL:						
Steel Stainless Steel		Other (Specify)					
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING	☐ None used (open hole) GS ARE:						
Continuous slot 7 Mill slot	☐ Gauze wrapped ☐ Torch cut	Drilled holes None (open hole)					
Louvered shutter	Wire wrapped Saw cut	Other (specify)					
	From IVA. It to IVA.	It. From II. to II. I					
GRAVEL PACK INTERVALS:	From	5 ft., From N/A ft. to N/A ft. ft. ft., From N/A ft. of t. ft. ft.					
CONCUENTATIONAL TO	From N/A ft. to N/A	ft., From					
6 GROUT MATERIAL: Neat cem	ft. From NA	ft. to N/A ft., From N/A ft. to N/A ft.					
What is the nearest source of possible con	tamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Watertight sewer lines Seepage							
Direction from well	Distance	from well					
FROM TO LITHOLOG	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS					
0 0,5 Fill							
0.5 1.5 Clay							
8 9 Soud 9							
9 10 Grayelly San	, de						
10 14,5 502 "							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \bigcirc \) constructed, \( \bigcirc \) reconstructed, or \( \bigcirc \) plugged under my jurisdiction and was completed on \( \text{mor} \) day/year \( \bigcirc \) \( \bigcirc \) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 11/29/2014							
Lunder the business name of RAZEK En	vironmental, LLC	by (signature) land land land					
INSTRUCTIONS: Use typewriter or ball point p	en. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> comment. Bureau of Water Geology Section 1	early. Please fill in blanks and check the correct answers. Send one copy to 000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WA	TER WELL OWNER and retain one for your	records. Include fee of \$5.00 for each constructed well. Visit us at					

WATEI	R WELL REC	CORD	Form WV	VC-5	Divisi	on of Wate	r Resources App. No	0.
	ATION OF WA	TER WELL:	Fraction	خي	Section 1	Number	Township No.	Range Number
	ty: Wilson		WW 3 CMM			<b>[</b>	T 30 S	R/G ME DW
			f unknown, distance &		Global P	ositioning	System (GPS) in	nformation:  • (in decimal degrees)
Irom	nearest town or i	ntersection: If at o	owner's address, check	nere	Latitude	la: 95	(93766	(in decimal degrees)
					Elevation	n: 80	5.06	sar. (in decimal degrees)
							4, □ NAD 83, □	
	TER WELL OW	DI 1 100	lucts North America.	Inc.		n Method:	25.11	
RR#, Street Address, Box #: 1000 North Sterling Avenue  City, State, ZIP Code : Sugar Creek MO 64054  GPS unit (Make/Model:						c Man <b>[7</b> ] Land Survey		
City,	City, State, ZIP Code : Sugar Creek, MO 64054   Digital Map/Photo,   Topographic Map,   Land Survey   Est. Accuracy:   Z < 3 m,   3-5 m,   5-15 m,   >15 m							
3 LOCA	ATE WELL		<u> </u>	14				
	H AN "X" IN	4 DEPTH OF	COMPLETED WELI		. <u></u>	ft.	α /	3). N/A ft.
SECI	TION BOX:	Depth(s) Ground	lwater Encountered C WATER LEVEL	,94 f	II. bolow lan	(2).WES		
<u> </u>	A	Pump	test data: Well water	was N/A	. below fair	ter NA	hours pum	ping. N/A gpm
NIV	V NE	EST. YIELD. N	'Agpm. Well water	was N/A	ft. af	ter. N/A.	hours pum	ping. N/A gpm
w	E	Bore Hole Diam	eter 8.25in. to		ft., and .N/	Ain	. to .N/A	.ft.
<del>  -</del>			TO BE USED AS:					Injection well
SW	/ SE	☐ Domestic ☐ Irrigation	Industrial	Jii field wat Domostio lo	er suppiy	<b>17</b> 1 M	ewatering M	Other (Specify below)
		Was a chemical	bacteriological sample	submitted to	vii & gaide Denartme	ent?	Yes <b>V</b> No	· · · · · · · · · · · · · · · · · · ·
	S	If yes, mo	day/yr sample was sub	mitted N/A			100 🖺 110	
	1 mile		fected? 🔲 Yes 🕡					
5 TYPI	E OF CASING U	JSED: Stee	PVC D	Other				
CASIN	G IOINTS - []	Glued Clar	nned   \( \subseteq \text{Welded} \)	7 Threade	1			
Casin	g diameter .2	in. to <b>S</b> .	ft., Diameter N	(Α in.	to .N/A	ft., D	iameter N/A	in. to ft.
Casin	g height above la	nd surface≥!	in., Weight	N/A	lbs./ft.,	Wall thi	ckness or gauge N	o. Schedule 40
		PERFORATION inless Steel	MATERIAL: <b>✓</b> PVC	_	1 Other (Sne	eifu)		
		lvanized Steel		ole)	] Other (ape	Ciry)		
***************************************		ATION OPENING	S ARE:					
	Continuous slot	Mill slot	Gauze wrapped	Torch cut	Drilled	d holes	None (open ho	le)
SCREE	Louvered shutter	Key punched	Erom Erom	J Saw cut	S Other	(specify)	N/A fi	to N/A ft.
SCILLE	N-I EKTOKATE	D INTERVALS.	From N/A	ft to N/A	f	t., From	N/A ft.	to N/A ft.
	GRAVEL PAC	K INTERVALS:	From	ft. to1.4.2	S 1	t., From .	<u>N/A</u> ft.	to . N/A ft.
	From N/A ft to N/A ft, From N/A ft to N/A ft.  GRAVEL PACK INTERVALS: From N/A ft to N/A ft.  GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2-feet							
6 GRO	UT MATERIAI	L: Neat cem	ent Cement grout continue of the Cement grout	Z Bento	nite 🚺 C	Other	ncrete υ to z-tee	ft to N/A ft
		e of possible cont		1 .1.1//	11. 10	; ,	, F10III	11. 10 . 5.77.5
What is	Septic tank			Livestock	pens 🔲	Insecticid	e storage	her (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
П		lines Seepage 1		Fertilizer s		Oil well/g	as well	
FROM	TO TO	LITHOLOG		FROM				UGGING INTERVALS
()	3,5 P(1			IROM				
5.5		y clay						
13	14,5 SIL					~~~		
		A STATE OF THE STA					***************************************	
								and the second s
		DATE OF THE STREET					-	
	<del> </del>							
		<u></u>						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under n	ny jurisdiction an	d was completed of	on (mo/day/year) .10\2	a//////	nd this reco	ord is true	to the best of my	knowledge and belief.
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 1//29/2014 under the business name of RAZEK Environmental, LLC by (signature)								
under th	ne business name	of KAZEKEN	/Ironmental, LLU	V and DDINIT -	by (sign	nature) U	v. U.V.) (HO	transwers Send one convito
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
307			http://www.kdheks.go	v/waterwell/ind	ex html			COLUMN TO THE PROPERTY OF THE

WATER WELL RECORD	Form WWC-5	Division of Wat	er Resources App. N				
1 LOCATION OF WATER WELL:	Fraction 1/4 NE 1/4NW 1/4 NE 1	Section Number	Township No.	Range Number  R WE W			
County: Wilson Street/Rural Address of Well Location;		Global Positionin	$\frac{1}{a}$ System (CPS) is	formation:			
from nearest town or intersection: If at o		Latitude:	819190 KH	nformation: (in decimal degrees) (in decimal degrees)			
		Longitude:?.					
		Elevation:	0.:-1	 1 NAD 27			
2 WATER WELL OWNER: BP Prod	ducts North America, Inc.	Collection Method:		a de la companya de l			
C' C CTD C 1	orth Sterlina Avenue	GPS unit (Ma	GPS unit (Make/Model:)				
City, State, ZIP Code : Sugar Creek, MO 64054 ☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey Est. Accuracy: ☑ <3 m, ☐ 3-5 m, ☐ 5-15 m							
3 LOCATE WELL	10.						
WITH AN "X" IN SECTION BOX:  N  4 DEPTH OF COMPLETED WELL  O SO  ft.  Depth(s) Groundwater Encountered  (1) ft.  WELL'S STATIC WATER LEVEL 2:52 ft. below land surface measured on mo/day/yr.lo/29114.							
N WELL'S STAT	IC WATER LEVEL 2:52	t. below land surface	measured on mo/c	lay/yr.10/29114			
Pump	test data: Well water was N/A	ft. after. N/A .	hours pum	ping. N/A gpm			
2,11	/Agpm. Well water was N/A eter 8.25 in. to	ft. after .N/A	hours pur	nping. IN/A gpm			
	TO BE USED AS: Public w			Injection well			
Domestic	☐ Feedlot ☐ Oil field w	ter supply \[ \Boxed{\Boxes} \]	ewatering	Other (Specify below)			
Irrigation	☐ Industrial ☐ Domestic-l	iwn & garden 🗹 M	Ionitoring well .!!	ivv-1)1			
Was a chemical If yes move	bacteriological sample submitted day/yr sample was submitted.	to Department? 🔲	Yes V No				
	fected? Yes <b>I</b> No						
5 TYPE OF CASING USED: Stee							
CASING IOINTS: \(\Pi\) Glund \(\Pi\) Clar	med [] Welded [] Thread	ed.					
Casing diameter .2 in. to	ft., Diameter N/A i	. to .N/A ft., 1	Diameter .N/A	in. to ft.			
Casing height above land surface	MATERIAL	lbs./ft., Wall th	ickness or gauge N	to. Scriedule 40			
Steel Stainless Steel	<b>∠</b> PVC	Other (Specify)					
☐ Brass ☐ Galvanized Steel	None used (open hole)						
SCREEN OR PERFORATION OPENING		Drilled holes	None (open ho	1e)			
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS:	From	2.5 ft., From .	.N/A ft. N/A	to ft.			
GRAVEL PACK INTERVALS:	From ft to 10	ft. From	N/A ft	to N/A ft.			
GRAVEL PACK INTERVALS: From N/A ft. to N/A ft. ft. from N/A ft. to N/A ft. From N/A ft. to N/A ft. From N/A ft.							
6 CROUT MATERIAL: Neat cem	ent 🗍 Cement grout 📝 Ben	onite VOther 💛	increte u to z-tee	3L			
Grout Intervals: From .2 ft. to What is the nearest source of possible cont	o It., From .!!/!!	It. to .!!!/: It	., From .!!/!\	ft. toft.			
	nes Pit privy Livestoc	c pens	le storage	her (specify below)			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage ☐ Direction from well							
FROM TO LITHOLOG				UGGING INTERVALS			
D 05 Topsoll				<del></del>			
Sis Silty day							
S 15 8 clayey slave	\						
0 100 3000 x CMY							
				sometime di la companya di la compa			
	477						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) 10   24   1   1   2   1   1   2   1   1   2   2							
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on mo/day/year) 11/29/2014 under the business name of RAZEK Environmental LLC by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html							

WATER WELL RECORD	Form WW	/C-5	Div	vision of Water	Resources App. N			
1 LOCATION OF WATER WELL: County: Wilson	Fraction 14 NW 14 SE	1/4 SE 1/4	Sectio	n Number	Township No. T 🚫 S	Range Number R / 6 ME MW		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
2 WATER WELL OWNER: BP Products North America, Inc. RR#, Street Address, Box #: 1000 North Sterling Avenue City, State, ZIP Code : Sugar Creek, MO 64054				Collection Method:  ☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey  Est. Accuracy: ☑ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL WITH AN "X" IN SECTION BOX:  N  WELL'S STATIC WATER LEVEL								
5 TYPE OF CASING USED: Steel PVC Other  CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2. in. to ft., Diameter N/A in. to N/A ft. Casing height above land surface. in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40  TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)  SCREEN-PERFORATED INTERVALS: From ft. to 23 ft., From N/A ft. to N/A ft. GRAVEL PACK INTERVALS: From ft. to N/A ft. ft. From N/A ft. to N/A ft. From N/A ft. to N/A ft. ft. From N/A ft. to N/A ft. From N/A ft. to N/A ft. From N/A ft. to N/A ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2-feet  Grout Intervals: From 2 ft. to 1 ft., From N/A ft., From N/A ft., From N/A ft.  What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Full storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well								
FROM TO LITHOLOG		FROM	ТО	******		JGGING INTERVALS		
0 0.5 Top 50:1 0:5 3.5 clay 3.5 5.0 5:14x day 5 18 Clay 18 19.5 5:14x clay 19.5 20 5:14x mustone								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, rec								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at  http://www.kdheks.gov/waterwell/index.html.								

WATER WELL RECORD	Form WW	'C-5	Div	vision of Wate	er Resources App. N			
1 LOCATION OF WATER WELL:	Fraction	. 88	Section	Number	Township No.	Range Number		
County: Wilson	if unknown distance &		Cloba	l Positionine	T 30 S	R / 6 DE DW		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
Local			Longi	itude: 9.5	6889 203	2. (in decimal degrees)		
			Eleva	tion: るい	J.Q.s.6.V			
2 WATER WELL OWNER: BP Prod	ducts North America, I	nc.		<u>1</u> : <b>V</b> WGS 8 ction Method:	4, ☐ NAD 83, ☐	NAD 27		
RR#, Street Address, Box #: 1000 N	orth Sterling Avenue			GPS unit (Make/Model:)				
City, State, ZIP Code : Sugar C	Creek, MO 64054			Digital Map/Pl	noto, Topographi	c Map, ✓ Land Survey   5-15 m, ☐ >15 m		
3 LOCATE WELL		10. 1		ccuracy: V	<3 III, [ ] 3-3 III, [ ]	[3-13 III,		
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	19.0		ft.		N/A		
SECTION BOX: Depth(s) Ground WELL'S STAT	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	test data: Well water							
EST. YIELD. N	/Agpm. Well water v	<sub>vas.</sub> N/A	ft.	after N/A	hours pum	ping. N/A gpm		
W E Bore Hole Dian	neter 8.25in. to		t., and .	N/Ain	. to N/A	.ft.		
	TO BE USED AS: Feedlot O					Injection well Other (Specify below)		
SWSE- ☐ Domestic ☐ Irrigation	☐ Industrial ☐ D	omestic-lay	zi suppi vn & ga	rden 🕅 M	onitoring well .M	W-173		
Was a chemical	/bacteriological sample s	ubmitted to	Depart	ment?	Yes 🗹 No			
	/day/yr sample was subm							
water wen dish	nfected?  Yes  N							
5 TYPE OF CASING USED: Stee								
CASING JOINTS: Glued Clar Casing diameter .2 in. to	mped 🔝 welded 💆	Inreaded	ı to N/A	ft T	Diameter N/A	in to N/A ft		
Casing height above land surface	in., Weight	N/A	lbs./f	t., Wall thi	ckness or gauge N	o Schedule 40		
TYPE OF SCREEN OR PERFORATION	MATERIAL.							
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Steel	<ul><li>✓ PVC</li><li>✓ None used (open hol</li></ul>	۵)	Other (	Specify)				
SCREEN OR PERFORATION OPENING		c)						
Continuous slot  Mill slot	☐ Gauze wrapped ☐	Torch cut	Dri	illed holes	None (open ho	le)		
Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	Wire wrapped	Saw cut	∐ Oth	ner (specify)	N/A fi	to N/A ft		
SCREEN-FERFORATED INTERVALS.	From N/A ft	to NA		ft., From .	N/A ft.	to N/A ft.		
GRAVEL PACK INTERVALS:	From 4 ft	. to19		ft., From .	N/A ft.	to ft.		
	From N/A ft.	to N/A		ft., From .	N/A ft.	toN/A ft.		
6 GROUT MATERIAL: Neat cem Grout Intervals: From .2 ft. t	ent Cement grout	M/A Bento:	nite <b>y</b>	JOther .99 VA ft	From N/A	ft to N/A ft		
What is the nearest source of possible cont		***************************************	10. 00		, 110111			
	nes Pit privy	Livestock		Insecticid		her (specify below)		
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direction from well	. <del></del> ,	-	_	ell	· · · · · · · · · · · · · · · · · · ·			
FROM TO LITHOLOG		FROM	ТО	LITHO. L	LOG (cont.) <u>or</u> PLU	UGGING INTERVALS		
O LE Topsoil (Fill								
1,5 5 Silty Clay								
5 10 clay								
14 15 Sandx clay								
15 15.5 Silty clay								
15.5 19 Somey clay								
, , , , , , , , , , , , , , , , , , , ,								
			***************************************			Colonia de la co		
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION	: Thiş wat	er well	was 🖊 const	tructed, 🔲 reconst	ructed, or D plugged		
under my jurisdiction and was completed on (mo/day/year) 1011111 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 11.29/2014								
Kansas Water Well Contractor's License I under the business name of RAZEK En	No/.ɔ̪ਖ਼ This W vironmental LLC	ater Well F	tecord v	vas complete	a on (mo/day/year	1)/ 1.104.3140.14		
INSTRUCTIONS: Use typewriter or ball point pe	en. PLEASE PRESS FIRMLY	nd PRINT c	learly. Pl	ease fill in blanl	ks and check the correc	et answers. Send one copy to		
Kansas Department of Health and Environ	nment, Bureau of Water, Geolo	gy Section, 1	000 SW	Jackson St., Sui	ite 420, Topeka, Kans	as 66612-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a>								